

INTERNATIONAL AIR TRANSPORT NUMBER

McGraw-Hill Publishing Company, Inc.

MARCH, 1939

Price 35c. per copy

AVIATION

The Oldest American Aeronautical Magazine



Hornets Roar HIGH OVER BOLIVIA

In Bolivia, where normal operations require take-off at altitudes as high as 14,000 feet, Lloyd Aero Boliviano has established a remarkable record of performance during its fourteen years of service. Every airplane in its entire fleet of Junkers transports is powered with dependable Pratt & Whitney engines.

PRATT & WHITNEY AIRCRAFT

One of the four divisions of

UNITED AIRCRAFT CORPORATION, EAST HARTFORD, CONNECTICUT



**Absolutely
NEW...
for a world
of NEW USES**

SIOUX $\frac{1}{4}$ " All Angle ELECTRIC DRILL

The handiest, most compact, most useful, most efficient little power tool ever introduced to the trade. Only $\frac{1}{2}$ " over chuck and gear case. Has so many uses that it will be found of help-fu-l service every day in almost any shop.

Poverty of power. Especially designed for close quarter work. Smooth aluminum case fits the hand perfectly. Complete control at all angle positions. Chuck shield for finger protection.

Chuck mounted at 35° angle. Ball bearing throughout. Close slot fix and large air vents assure cool motor operation. Universal motor operated by A. C. or D. C. Standard speeds 2650 or 2100 R. P. M.

FOR THE PAST 25 YEARS, Sioux has been a leader in anticipating the needs of the trade.



No. 1495 \$32.00

Write for full information

STANDARD THE



WORLD OVER

ALBERTSON & CO., INC.

SIOUX CITY, IOWA, U.S.A.



FROM "SOUP TO NUTS" WITH A CUB COUPE

LOOK AT THESE "EXTRAS"

- Parallel System of air intake vent.
- Front Panel of an extra cost.
- Reference Books of an extra cost.
- Head mounted Front view air intake vent.
- Ground Spark plug.
- Air Speed Indicator of an extra cost.
- Differential Tail Wheel of an extra cost.
- Extra Fuel 40 lb extra cost.
- Rubber Collector and Gutter Shutter of an extra cost.
- Cockpit Heater with front Control of an extra cost.
- Weatherstrip, Lapkin and Baggy at an extra cost.
- 10-Gallon Fuel Tank of an extra cost.
- McCauley Adjustable Propeller of an extra cost.
- Hill Board, Baggage Compartment of an extra cost.
- Extra Weight of an extra cost.
- Photo Map of an extra cost.

YOU get all the "extras" of an extra cost. This two-passenger Cub Coupe with side-by-side seating is complete—the finest, most luxurious, and most comfortable airplane ever offered under twenty-five hundred dollars. There are no extras to buy. And the Cub Coupe is only \$1995—only \$665 down on the easy payment plan!

All the "extras" listed at the left—many or all of which are generally considered as accessories at additional cost—are standard equipment on the Cub Coupe. Small wonder that in a few short months it has become the hit of the air. Your Cub dealer will be glad to give you a free flight demonstration. Ask him about the free flying course for the purchaser of any new Cub model—Twiner \$1249, Sport '46' \$1395, Sport '50' from \$1499, Coupe \$1995 F.A.E. factory.

FREE CATALOG Send today for colorful, illustrated Cub catalog full details of the hot flying name and home of your Cub dealer. Piper Aircraft Corporation, 36 A. Street, Lock Haven, Pa., U.S.A.—Cub Aircraft Co., Ltd., Copenhagen, Denmark—Cub Aircraft, Ltd., Heston, Eng.



COUNT THE CUBS THE WORLD'S FASTEST SELLING AIRPLANE



RESEARCH

Throughout its growth from one man, one machine, one test chamber, to the present new plant and personnel of over 500, research has played a major part in the work of the Kollsman Instrument Company. Out of that original test chamber came the first completely self-sustaining aneroid diaphragm and subsequently, the famous Kollsman Sensitive Altimeter. And from the modern research laboratory manned by specialists that now form the "brain trust" of the company have come many notable Kollsman "firsts", including high accuracy magnetic and electric inclinometers, sensitive vertical speed indicators with low lag, poly-plane compensators for compasses, true reading accelerometers, unaffected by side accelerations.

*Pass American Airways and
over 100 other world airways use
KOLLSMAN PRECISION
INSTRUMENTS*

The most recent development to emerge from this research laboratory is the new Kollsman Directional Indicator, hailed by pilots and navigators as the ideal compass.

KOLLSMAN INSTRUMENT CO., INC.

8008 FORTY-FIFTH AVENUE ELMHURST, NEW YORK
WESTERN BRANCH: GRAND CENTRAL AIR TERMINAL, GLENDALE, CALIFORNIA



On the Skyways with Every Airline in America

• Scintilla Magneos are set only standard aviation equipment for all the airlines of America but all the U. S. Government services as well.

To win such wide acceptance, Scintilla has selected its parts with the most *rigidities*—one—for year chosen New Departure Ball Bearings because of their proved high quality, accuracy and dependability.

Product of more than forty years experience in precision bearing manufacture, New Departure represent the very best that can be obtained in anti-friction bearings. And for replacement purposes, there is nothing better, nothing more dependable than the original equipment maker.




The special designs shown above feature over 3000 which New Departure ball bearings are designed or re-engineered by major manufacturers as the standard for the purpose in the world.

NEW DEPARTURE Ball Bearings

New Departure • Division General Motors Corporation • Bristol, Connecticut
NOTHING ROLLS LIKE A BALL

Douglas
means Dependability™
IN ANY LANGUAGE

飛機穩實可告非



— 38 — 14

Douglas dependability is traditional. No other name in aviation has such a universal meaning. Flying the flags of 32 nations, Douglas transports in scheduled commercial operations now cover a distance equal to 13½ times around the world daily. Douglas Aircraft Company, Inc.

Douglas - en världens mest
viktiga företag. En värld som
är beroende av Douglas för att
vara säker och trygg.

Douglas Meek's Telephone
Douglas Elmer's Spolex
World, Merton Douglas

DOUGLAS STAR FOR SIXTY

Douglas W. Williams

2025 RELEASE UNDER E.O. 14176

42

GE

ility"

1

AVIATION
Published 1913

THE SINGER AND THE ASSASSIN 119

MARCH 1939

卷之三

Contents for Vol. 38, No. 3

Endorse	From the Editors of the World	11
Side Signs	By Robert R. Collier	15
Frontispiece	With Two Books—1929 and 1930	15
	This Ever-Shifting World	17
A Man's Work or World Airlines	A Man's Work? 2 Imperial 2 Domestic Airlines; 4 Air Lines 3 U.S.A.	19
Good Neighbor Skysways	An Impudent Punkt in Holiday Trade in the Americas	19
International Flying Comes Right	The Good, the Bad, and the Golden Mean	21
Flight No. 288	Concerning the Pacific and the Far East	21
Stan Mikita's Battleground	Concerning the Pacific and the Far East	23
	Concerning India & the new Asiatic poker game	23
American Export Airlines	Concerning the Pacific and the Far East	23
How the Atlantic Will Be Flown	Concerning the Pacific and the Far East	23
	—Aero Prints—The Home, etc.	23
	—The Crew	23
	—The Weather	23
	—The Roads and Water	23
	—The Radio	23
North Toward the Orient	Concerning the Pacific and the Far East	42
	The Americas in Motion	42
Flying Equipment	Concerning the Pacific and the Far East	42
	—Aero Prints—The Home, etc.	42
	Sell Safe by T. D. Wright	42
	Wander Leader in Cascabelle from	42
	Pauline	42
	New Stamps Relieve	42
	Morrows in 1930	42
	Wings and Waves—Antennas Propeller Syncrophones	42
	New Technical 142	42
Aircraft Radio	Concerning the Pacific and the Far East	42
	During the Warplane 484 Thee Four	42
Buyers' Log Book	Concerning the Pacific and the Far East	42
	4 Models of New Aeroplanes for the Infants	42
The Aviation News	Concerning the Pacific and the Far East	42
	45 Government Programs	42
	45 International Programs	42
	75 Air Transport Aviation	42
	75 Aviation Almanac	42
	Concerning Congress	42

An advertisement for McGraw-Hill Publishing Company, Inc. It features a portrait of James H. McGraw at the top left, followed by the company's name in a large serif font. Below the name is a detailed map of the United States with various cities labeled, including New York, Boston, Philadelphia, Atlanta, Chicago, St. Louis, San Francisco, and Seattle. The map also shows state boundaries and major rivers.

• Page 47 - Bill 5955-G-112-00



2,248
**CHECK-CHART
INSPECTIONS**

**Guarantee the Perfection of
each Lockheed Airplane**

Engines consist of two sections, one of the outer curved shells that encloses everything from the fuel assembly to several flexible tanks.

2,248 inspections on a single Lockheed! Yet these are only classifications...there are 113,000 events alone, and each one is inspected.

When a new Lockheed takes the air it leaves behind on file a unique record of the rigid care taken to assure its durability and efficient performance....a 77-page book with which it is possible to check back on each production operation.

This outstanding inspection procedure is another example of the thorough care demanded straight down the line in every phase of Lockheed design and construction. The results of these progressive methods are best evidenced by the unsurpassed performance of Lockheed airplanes in the service of private owners, military agencies and 22 airlines throughout the world.

Completed data applicable to the particular use of any Luck-based model will be furnished upon request.

LOOK TO LOCKHEED FOR LEADERSHIP



Representatives throughout the world

LOCKHEED AIRCRAFT CORPORATION - BURBANK, CALIF., U.S.A.



Flashes

Picked Up Along
Editorial Airways

IT COSTS REAL MOVIES to be regulated, as anyone can tell from *Samson* by wading through the 200-plus pages of the Independent Office Appropriation Bill hearings that have to do with the CAA. It seems that, while becoming modest, the CAA asked for only \$55,000,000 for 1940. Without looking at eye the Budget Bureau scaled that sum down to \$25,250,000. A comparison of a few details are interesting:

In This Section

Office together but spent only \$11,000,000 for fiscal 2008 and some \$15,000,000 for fiscal '09, assuming had paid less but they might have asked

In This Issue

Two trends of the past two years have been more efficient, or held more promise for the user, than the extension of our knowledge relative beyond the political boundaries and across the oceans with geosynchronous satellites in the effort for the smaller business and

	Admitted to C.A.	Transferred to Society Report
For admission and transfer C.A.	\$14,700.00	\$10,333.00
Total amount and no. of persons	268.00	260.00
Balances Board—		
Fees	268.00	260.00
Fees, C.A.A.	(54,000)	(50,000)
AMOUNT RECEIVED		
F403,023.00	\$1,000.00	\$1,000.00
	\$1,000.00	\$1,000.00

The last statement is not as bad as it looks, for it seems that the original estimate was based on a three-year program, the revision on one. But, at this, the amount to go into statewide equipment is only about half the amount. To be spent an CAA salaries. Perhaps some day some way might be figured out to reverse that ratio. Curtis will be wonder what Mr. Hobbs had in mind to do with that other \$5,000,000 for salaries that he asked for and didn't get. You could hire a lot of people for that!

MR. NOBLE EXPLAINED to the appropriators committee that he was personally saving the country money, at that. Although he admitted that the old Bureau of Air Commerce and the Air Mail Bureau of the Post

for \$10,640,338 if they had still been in business, and, therefore, that \$10 million (\$25,250,000 minus \$15,609,668) "represents the estimated additional cost of administering the new duties imposed upon the Authority by the statute." That's the difference in the Budget Bureau's view. The "costs of administering the new duties, however, based on the amounts originally requested, would have been a good round \$13,000,000 if the DSB hadn't passed fast enough.

WE DON'T MIND SPENDING in a business if we are sure that we are getting something for our money. And, would you, we are not sure that we aren't getting it in the CAA. It is still too early to arrive at conclusions on that score. Related to the cause of building businesses and creating jobs, there is still an enormous amount of hard work going on, and there are many places where money may be spent profitably in large amounts for the development and the safety of our aviation, both private and commercial. We only want to be certain that the money gets spent in the right way so that when the CAA is established, it will be able to report to us \$30,000,000 "deadbeads" that they are getting a reasonable return on their investment.

AND SPEAKING OF MONEY, we hope that the needs of the Woodland Bureau for adequate funds for carrying out its work will not be overlooked. The
(This is page 11.)

**"As sweet
as honey—
and just as
smooth!"**

That's what that
record-breaker
**DEWEY
ELDRED**
says about the
50 HP
LYCOMING



DEWEY ELDRED'S recent record-breaking non-stop record for light airplanes is a fitting tribute to that lightweight champion of the air—the Lycoming 50 HP Engine. The Lycoming-powered Labu-Zol's Taylorcraft covered a distance of 858 non-stop miles—from New York to Daytona, Fla.—at an average hourly speed of 71.1 miles. Dewey Eldred states that he made the flight at an operating cost under \$3.

The smooth performance of this 50 horsepower engine, whether during record flights or everyday flying, makes it the star of the skyways for light aircraft. The Lycoming 50 HP engine is fast becoming the favorite of pilots of such ships as Aerocars, Cub, and Taylorcraft. Ask a Dealer of any of these popular planes for a Lycoming demonstration. Fly behind a Lycoming and *feel* the difference!

SEND TODAY FOR FREE FOLDER!

This illustrated folder gives you complete details and specifications of the popular Lycoming 50 HP aircraft engine. Ask your Aerocar, Cub or Taylorcraft Dealer for your free copy *now* *now*. No obligation or cost you. Address Dept. A-56.



LYCOMING DIVISION

AVIATION MANUFACTURING CORPORATION, WILLIAMSPORT, PA., U.S.A.

L LYCOMING L

RELIABLE ENGINES FOR MILITARY TRAINERS, PRIVATE AND COMMERCIAL AIRPLANES

allowance for SISW was approximately \$2.5 million, and so long the services in line with national defense and other aviation needs an estimated \$10 million more will be required to bring the total for the fiscal year to \$15 million. We understand that some of the conservative, pro-government members of Congress have set up a switch, claiming that the poor farmers are getting gypped in the deal. Perhaps the real trouble lies in the use of the word "surplus." They can't see how one billion dollars is surplus to anything else for the day farmer who perhaps has never seen as Stephen much fun ride in one of these things. But somehow, should explain to the farmer groups that never before has so much been loaned him the weather and the progress, simply that certain aviation costs are known, and that money is available for the farmer to help you double benefit the farmer in much in the long run, in a well-being the aviation groups. There is no reason why every segment of the country should not become a center from which accurate weather information for all farmers in the state can be disseminated so that they can get there will be a three-fold better fine tuning they can get out of the Farmer's Agency.

IMPORTANT MEEETINGS marked the month since we last went to press. Maintenance, war games, counter-insurgency, and external defense were the themes. Foster W. Barker got together the largest collection of civilian manufacturers, users and manufacturers for a three-day session in New York's Hotel Langham. Following immediately Major General Gardner's conference was at Colchester, England, with the Bomber Night director mentioned elsewhere. And, as we go to press, the head of the private, the first National American Forces gets under way in Washington. Gen. Robert Wilson and his associates are to be congratulated for their untiring efforts to reorganize the regional meeting at this time.


BRITONS PREDICTED, and not without reason, to the "miracle" ratings given them in our "Box Score" (AVIATION, January, 1955). They steadily maintained that the fight was going to be decided early in April. The predictions were, finally, all the more solid because of the experimental Indians running a poor second and third. The trouble of course, arose almost from my failure to provide an adequate definition of the

word "score" as used in my article. There was no intention to attempt to rate the relative quality of the fighting pilots or of the staff work of the two sides. It was the intention to rate the operations involved. Although there undoubtedly are differences, the index procedure under the circumstances has to rate them all on an equal basis as such points. The controlling interest in the scoring in the "miracle" column were, unfortunately, also somewhat erratic. The ratings were not always in close agreement. The author, himself, for instance, had expected the British to win through the stronger. Then, came of an engine hold-up cut out as Gen. Kitchener was about to land an experimental ship after a non-return trans-continental flight. The public might not have known (or had until after publication) that had close their work) that Gen. Kitchener is not to be blamed up to it. He remains to explore just what we had in mind.

TWO ACCIDENTS in military aircraft recently had unexpected and far-reaching results. If a certain not quite leader made a slight error in judgment, which violated standard flight regulations with a certain degree of severity for the sake of safety, U.S. Airmen might still be flying along well within diplomatic channels. But that unfortunate crash will be acting through Congressional hands to make any future foreign policy, the best laid, for worse, or poorer through the wrongs. Then, came of an engine hold-up cut out as Gen. Kitchener was about to land an experimental ship after a non-return trans-continental flight. The public might not have known (or had until after publication) that had close their work) that Gen. Kitchener is not to be blamed up to it. He remains to explore just what we had in mind.



McWilliams' happens off to London, and Ascan's won't be denied in his heart!



"Nobody's Sweetheart Is Ugly"

IT'S simply human nature for all of us to look upon our own work and think well of it. But how often collaboration and cooperation would result in modifications made for the better? In the design of landing-gear for one aircraft, the ready help that Bendix stands eager to provide is frequently a very real contribution to the new plane's satisfying performance. For we cannot pack airplane wheel and linkage nor Pneumatic Shock Struts off a shelf and supply them, ready to use, for any plane. We need to know certain real facts and figures . . . and so do just who design the aircraft. Hence, our repeated, earnest, urging upon your attention of this matter of early collaboration. It makes better airplanes!

BENDIX PRODUCTS DIVISION
OF BENDIX AVIATION CORPORATION - SOUTH BEND, INDIANA

BENDIX

AIRPLANE WHEELS • BRAKES • PILOT SEATS • PNEUMATIC SHOCK STRUTS

AIRCRAFT EQUIPMENT
March, 1956

18

SideSlips

BY
ROBERT OSBORN

16 Last Saturday, on the new extensive program for training young pilots, Air University said that the military world will not be providing graduate courses in the flight test field, but that those could be obtained at aerospace universities.

We are wondering if military pilots of the future are going to approve all having important parts of these airplane studies together with their pilot

17 Recently investigating before the congressional aeronautics investigation committee, predicted that military planes of the near future will have wings, fuselage, and many other parts made out of sheets of plywood and plastic materials pressed into molds under heat.

In about two weeks the authors of the Sunday Supplement blood-curdling

articles will have foreign spies developing a series of bombs able to work under high temperatures and pressures.

18 Two aeronautics prominently featured stories about a young test pilot who had died a nice, painless plane to a speed of 875 miles per hour, and the next day carried another story that his widow was a very young lad, had been interviewed.

This particular pilot is the same one reported, who, some Spring one

year, turned in his flight test reports to poetry with music on the beautiful flowers in bloom (1000) along the speed course.

19 Any testator ever who has had to face a hard-holed crash board will enjoy the statement of a young civilian pilot reported on the local papers. "I would have made a perfect landing, I thought at first, but I had a hole up in the tail. I planned to land. It caused the damage to the plane."

20 We constantly see get discouraged in reading the newspaper articles by a certain qualified writer telling how some Indians, Americans, and others are who represent to friends of other nations. It is true that that condition exists at this time of international crisis, of only we had more good designs in production it might be possible to sell some orders for them abroad.

21 It is very necessary at times for a shop-platelet to understand the reasoning of stamp collectors in placing the highest values on the most interesting stamps. From a moment ago on this subject we learn that the most valuable are not necessarily the most rare. The reason is the age of an airplane was printed mostly on the front and the latest one to excite the interest of the collectors is the current 6-seat red and blue air mail stamp, one sheet of which beat the historical perforations around.

If there are any collectors with similar ideas in the same business, they can also find them without any wings, and a rudder with a torque popular mounted on a pusher engine aircraft.

22 "UNIVERSITY AIR LINE HAS COMPLETED ITS 20,000TH CHART-TO-CROSS PLANE ADMINISTRATIVE 65,000,000 MILES" —News Bureau Today was reported by W. F. D. of Pan American, N. Y., who said in this report a new distance record, or a number of planes at the field were necessary to get the ship down?

23 In service areas on one of our bases the other day the Interred Aviator remarked that he saw in the papers that some aerospace scientists were getting very much interested in flying machines where the pilot sits at the back, and the front forward, and asked to call the Human Biostatic Flight Institute. He said he is going to follow the activities of that Institute very closely, to make sure that he does not, unfortunately, sign up for any of that kind of flying.

24 We can see now that hearings of Alaska divorce cases in Alaska are being opened up by means of a "flying court" — judge, marshal and clerk travel around to isolated outposts by airplane.

He remembers the quaint old days of not so long ago, when people used



to consider the airplane as an effective instrument for promoting unity and good will between nations and people.


25 We'd like to mention that a fine new printing machine, the first to take a complete roll in an air bus passenger transport. The news papers and news media are always featuring pictures of astronauts pealed in the rolls of trim-Airline fibers, displaying unique logos and the first air line to operate the new maps and passenger timetables. This is probably why the public likes all the stage and screen heroes.

26 "AIRCRAFTS UP AFTER SHARP DIP" —See "Mandy Redifer."

Mr. Sperry could work up an aeronautic history page, because of these companies we might have a little trouble riding in this rough Wall Street car.

BY ROBERT OSBORN
March, 1956

19



IN 1929. The pace of the world's trade routes, geared to the speed of the ocean steamer, was slow indeed. Mail took two weeks, six weeks, eight weeks to bring an answer to a query. A business trip to another continent consumed a month, perhaps a season.

AVIATION for March, 1939


THIS EVER-SHRINKING WORLD

THE YEARS AGO LAST MONTH, our air line industry reached South America with the first of the long transoceanic airmails which were to give us an air transport pre-eminence on that continent. Five years ago this month our pilot took aloft the first of these semi-sleeping Clipper ships which were to carry the flag of American commerce to the gates of China. Today our American flight ceases, during non-Clippers or daylight non-stop flights, passing English, and also in their group a leadership on the north Atlantic that Americans had not since the days of Columbus.

It makes a little bird note the shift of first decade of American leadership to a place on the skyways of the world. There is everything here that one looks for in a traditional American success: There is bold planning. There is courageous experiment in untried fields of finance and industry. There is superb organization. There is a broad acting squad of accomplishment. There we tracking, gauging, measuring, mapping, and doesn't relate to yield rates for efficient airmail. There see laboratories and factories and test fields burnished to hide problems half a world away. There is enough brilliant pioneering in aerial package, maintenance, radio and navigation to fill half a dozen test books. If AVIATION could seize this day-sign flight opportunity to measure the highlights of this decade it would be guilty of gross editorial negligence.

But it is not the past ten years of America's rule in international air transport that really concerns us in this issue; it is the next ten. The important question which from the industry—and the nation—arises: What will we stand on the world's air trade routes in 2044, in 2064? That is front, where we stand today? Possibly—that we unless we are willing to fight for that aerial leadership Americans have recently fought for stand no chance to hold it comfortably long.

For years now the American air efforts in this field has been the greatest of many. So long as competitors kept their bases adrift in their government advanced air routes without routes, the American system of airmail only though mail contracts was adequate and infinitely preferable in the European pattern of mail-right authority, we the winds will blow. But eventually mail is taxpayer. We everything else offering the international airmail of nations, is changing pre-



IN 1939. The world of trade, now mostly
by plane, has shrunk to a sixth of its former size. By
the ports and the American business men will be able to
reach any city in Europe, Latin America, or Africa within
the time it could take the United States by boat. Asia is
now less than a week away. New Zealand and Australia
seas will be no more distant.

foundly. For long, once considered merely a means to expedite commercial exchange, have become arenas of power significance in international trade and politics. A nation unversed in what "export or die" does not pause at the cost of doubling or redoubling its expenditures in so direct a method of export stimulation as its international air lines.

As a result: When our international routes have had and now only limited competition from the lines of two European nations in Latin America, it will be challenged by low-flying competitors before the end of 2039. When but one European nation has hitherto advanced its services all the way to China, five nations now have plans for direct routes to that market. On the North Atlantic no less than four nations are already clattering to share, with us, this blue ribbon trade route of the world.

Since when Americans might take to heart this far-
sighted challenge have been indicated in successive articles
it may be well to comment at least partially modify
our traditional American Way. But whatever we do,
whatever course we take, must be based on as complete
an understanding of each nation as it is possible
to secure. If the following articles—prepared by David
Sayers, Associate Editor of *Airways*—can help to
foster such proper understanding, we shall feel more
than amply repaid for our efforts.

A Who's Who of World Airlines

I. Pan American



The company which was born to this name was Pan American Airways Corporation, now formed Oct. 1, 1920, to pool the intercoastal air line projects of three slightly older corporations.

Each of these organizations had formulated plans and taken some steps toward organizing an all-new intercoastal Florida and Cuba. Between them, however, they could assemble the basic characteristics of only one air enterprise. They held the US and Cuban mail contracts for the route

and had gathered the nucleus of the needed planes, equipment and operating personnel. They also had the mail contract, reservations and tickets in the project. The US mail contract called for a fast flight by Dec. 18. The oldest company was hardly born then, when it was faced with the first of those Herculean tasks of airway building which have made a lasting mark on its history. A first flight was made on Dec. 18, 1920, and the mail contract was saved. By Oct. 26, scheduled service was in full operation.

Thus, was a transoceanic branch which is still characteristic of Pan American born—“It can be done!” And the factor which perhaps did most to make this Gulf Stream trans-oceanic flight possible was Pan American’s “know-how.” Each of the three companies in the merger had been led by young

men. They shared young Troppe’s vision and realization of the possibilities of international air transport as a field for the investment of private capital. Many of their personal and business interests were closely related. Their joint efforts at those early days were Warren’s pilots in their new flight with a highly realistic concept of the task they were undertaking. As these men became the leaders and initiators of the fledgling emerging enterprises, their knowledge of their particular functions beyond pure flying skills of navigation, management of resources, and general cooperation between men in the allies and men in the air. As the airline grew and added new runs of routes, these young men found in among their own kind, among other financial groups in the association, a need to act as a single unit in their mutual interests, if not from a purely mail route or the interests in our continental relations with the countries which do not have sea to serve.

The story of the airline’s initial growth is told at some length in an adjacent article. Today its major network covers every country in Latin America (Turn to page 50)



JUAN TERRY TRIPPE
President and General Manager

A Record of Solid Progress

Year	Miles of Paved Roads Covered	Passenger Flights Completed	Freight and Mail Flights Completed	Number Employees
1920	250	9,500	250,000	200,000
1925	12,000	30,000	1,500,000	600,000
1930	12,000	70,000	3,000,000	1,500,000
1935	30,000	40,000	12,500,000	4,000,000
1940	30,000	15,000	12,500,000	1,500,000
1945	30,000	100,000	25,000,000	3,500,000
1950	32,000	112,000	35,000,000	5,500,000
1955	48,000	120,000	35,000,000	8,000,000
1960	50,000	130,000	35,000,000	8,500,000
1965	50,000	204,000	30,000,000	4,500,000
1970	50,000	320,000	30,000,000	5,000,000

JOHN C. COOPER, JR.
Vice-President

GEORGE L. KELLY
Vice-President

ROBERT D. SMITH
Vice-President, General Manager



GOOD NEIGHBOR SKYWAYS



A Pan American Boeing 314 flying boat

—have been a big factor in building trade and goodwill among the Republics of the Americas. But Europe, in a reckless drive for export trade, counts an aircraft to move these world markets into its own neighborhood. Uncle Sam must roll up his sleeves or lose a hard-won leadership in Latin-American skies.

THREE AIR TRANSPORT COMPANIES of one kind in Latin America

is enough. Some 42 independent separate companies offer no less than 200 regular scheduled services over routes which total 30,000 miles in length more than half the length of all the air routes in the United States. Air transport plays a more important role in Latin America than in most other parts of the world. One route after another route the airplane becomes merely one of several modern means of travel; it is the only one. It is, though, increasingly—the 42 companies are too many to serve the different flags. Most of them operate across the territory of at least two countries. Several cross a half dozen countries or more. More geography forces a widely divergent pattern upon the air line movement of a dozen different companies. These 42 companies and some allied associations, open terminals and exercise shell-like rules, long trans-oceanic passenger, great river valley, broad plains—and even conceivable land of climate and weather.



The eastern Pan American Association, as affiliated companies, operates approximately half of this vast air network. It is therefore one of the

most important transport companies of any kind in Latin America. It covers the territory of all twelve of the separate republics and a large number of the European dependencies south of our border. It operates in and out of our various government-owned cities, and carries the standard services of South America. From all this you can get some idea of the great importance at the port which this country places in this picture. You can make up your mind why we want nothing to play in. It is like the world

the United States. Unfortunately, the United States is and the only country available to supply Latin American needs. For despite the fact that the members of Europe had put all their capital in securities, diplomacy and commercial skill to establish their interests in the Americas. As the war ended, they turned so it were with a great amount of enthusiasm that began about the trade which had slipped to the United States.

Geographically, of course, we hold a great advantage. With the important exception of the rich countries along the East Coast of South America (which are about equivalent from Portuguese ports and New York), most of the countries in the Americas are far from Europe. All things come to the market for American consumers and samples, lower shipping costs facilitate exports and profits.

This country might well live on devotion to energies that advantage by keeping its shipping lines with no warlike preparation within 2,000 miles after the Atlantic. Latin



In 1938 the air mail map shows U.S. routes passing over mountainous Latin American city. In Germany, aircraft was developed at altitude, originally intended

America was trying for air transport to solve many of its domestic transport problems. The capitals of most countries had no modern communications with three exceptions. Many more had no telephone or telegraph service at all points of their far-flung territories. At least without exception each country relied for its intercourse with other nations upon oceanic steamer. Had no government there countries were with crude postmen equipment as good as those of the old, isolated country as the one-legged mule for Latin American purchase; one stretches across prairie, another across deserts and thence upon the sea of great neighborhood.

But somehow the vision was not in us. Perhaps we waited too much abiding in our big cities, too long in our comfortable armchair decision-making. In any case it was not the United States but Europe which was the先驱 and groped.

This year Germany will add a passenger service to the Atlantic and to France and to Mexico. Italy and Great Britain will open broad new air routes to Africa.

Europeans were planning airports to all parts of its far flung empire.

January 1938 the four lines in the U.S. were up and beginning to carry passengers. Germany air lines entered Argentina, and France entered Colombia. These were established in Bolivia two years ago by Brazil. In 1937 France set to be outside, but secured operating rights in Brazil and by the next year was running lines southward to Buenos Aires. To top it off of course France, as well as Germany had secured operating links between the West African and South American air lines by using fast-decked boats to carry mails across the intervening South Atlantic from Dakar to Natal. Thus before the U.S. had set up a single route of air mail south of Cuba, France had reached the South American coast performed the first leg of the Americas' postal map and in less time than half as far from Europe as from the

(Turn to page 88)

International Flying Comes High

International flying has become a major segment of airline traffic in recent years and the rise in shipping and computing and materials cause big differences. More important are basic differences between the two operations. (1) Domestic airfares are fixed and maintained by the U.S. government. Pan American must build and operate its own. (2) The


success of domestic flights depends on factors such as taxes and equipment. International flights, however, are not taxed and cannot be given priority. (3) Costs of getting across oceans are higher and more difficult than across continents. (4) Domestic airfares are subject to constant price increases. International airfares are not.

All these factors add greatly to the costs of route and service flown.


MILES OF ROUTE OPERATED

NO. OF AIRPORTS SERVED

NO. OF AIRPORTS SERVED



In less time, Pan American has built and paid for the world's longest international air routes. It flies longer on less fuel & 1/2 distance faster. Its terminals are efficient, its intermediate ports fully equipped to handle and weather goods are excellent.



2. The development of Pan American's international air routes sponsored by a dozen different offices. America's flying frontiers have closed almost overnight in response to Pan American requirements. Completely international air transport companies get greatest grants from these governments to make the big cost.

MILES FLown ANNUALLY - BY P. A. A. ■ BY 4 REGIONAL AIRLINES



3. Domestic traffic per mile is seven times the average international frequency of service.

An average domestic airplane can get about three times the annual use from these planes.

And need only as much manpower to carry out a given amount of flying.

An international plane can three times as much as a domestic one of the same transport rating.

FLIGHT No. 269



The first Clipper built at Pan Am's

The delivery of new Boeing-built Clippers promises great steps forward for Pan American Airways' spectacular trans-Pacific air line. But the future of this project is not certain unless the country behind it comes to appreciate its value and treasures its continued development through adequate support. Meanwhile it has furnished us with a magnificent background for trans-Atlantic operations.

A NEW BOEING-BUILT CLIPPER comes off the line of the Pan American Air Base on Transocean Island. Five months later it is making service runs. Pan American's trans-Pacific service is back as far as Asia, the Air Post Manager writes consistently in his regular "Transoceanic Flight." No. 269 departed Honolulu on schedule. Captain W. H. Barn A. Chaffee, First officer:

For all his crew, he is worthy for admiration. His record is superb.

For me this flight is a dignification and greatly tested my faith in our approach to the support of our international air transport enterprises.

Just how far the mere start of one plane in service stands far all these things? Let me sum back to a brief discussion of test principles and a broad sketch of the background of Pan American.

Pan American's trans-Pacific operation may be one of the simplest in the world. Its schedules and rates could be written on the back of a post card. For three years it has used just one type of plane. Its operating system is uniformly open ended. One seat carries one passenger over long distances. On short flights all seats from California to Guam,

owing to wide fuel load-out endures, of three long years of rugged pioneering over the world's hardest flying areas.

First it should do a fresh analysis of existing traffic, new standards of schedule completeness, new insights of service to U.S. trade, new U.S. passenger service to Asia and the Pacific islands. It should study practical the completion of the long-pending service from California to New Zealand. Pan American will justify its existence and change our entire American approach to the support of our international air transport enterprises.

Just how far the mere start of one plane in service stands far all these things? Let me sum back to a brief discussion of test principles and a broad sketch of the background of Pan American.

Pan American's trans-Pacific operation may be one of the simplest in the world. Its schedules and rates could be written on the back of a post card. For three years it has used just one type of plane. Its operating system is uniformly open ended. One seat carries one passenger over long distances. On short flights all seats from California to Guam,

but, at best, it has the complex characteristics which make up part of the international air transport as exists at present—(1) an ample market for the services, (2) an industrial trade and industry, (3) an air transport operation differing only in detail from any other air line, (4) an industry connected to the vast area of obviously strong air fare revenue from California to New Zealand.

First it should do a fresh analysis of existing traffic, new standards of schedule completeness, new insights of service to U.S. trade, new U.S. passenger service to Asia and the Pacific islands. It should study practical the completion of the long-pending service from California to New Zealand. Pan American will justify its existence and change our entire American approach to the support of our international air transport enterprises.

Just how far the mere start of one plane in service stands far all these things? Let me sum back to a brief discussion of test principles and a broad sketch of the background of Pan American.



CLARENCE M. YOUNG
Manager, Pacific Division




JOHN H. ULMKE
Director, Overseas Manager

without—excepted the last of three stop-over bases. Permanent is based at Port Moresby. Mass production is forecast on the China coast. Again, Pan American launched upon a swift program of aircraft building. By the end of May we had our first Chinese-built freighter in Manila built with metal. Twelve months later this went during through to the China coast with passengers and fuel cargo. Plans moved forward for an additional service in New Zealand.

The peace effort was to carry the Pan American Clipper from Calcutta (again an eight day flying schedule) to London. American industry began replacing its whole concept of business dealings with the Asiatic market. American prestige in the Orient took on a new luster. Of equal significance, the relations between the United States and Australia, Hawaii, Guam and the Philippines made great strides toward new feelings of unity.

Then devastating war broke out in China, shattering routes, suspending flights on the air lines within that country. An urgent deployment of the Pan American Clipper to the border of the service. Asiatic officials can alert the prospect for life to New Zealand on an irregular flight. The whole project, for lack of equipment, slipped far down the scale as an international merit. With only two Clippers, schedules became disorganized. Delays could not be avoided. Much time was lost. Traders and shippers turned back to their former habits.

Now the Boeing and its sister ship, the Douglas, had made over seven crossings were still considered as draw-



The war in China has upset air line operations in that country but has made our long Pacific flying more vital than ever in American interests in the Orient.

can change all that. Schedule reliability would be improved due to heavier planes. New machines will reduce the gender lines in aerial transport traffic. Planes can go faster and come more often on air line to "Down Under."

Which brings us to a point where we should take up the second characteristic of the enterprise and consider its significance in its development in the last achievement.

Here you have long enough on this column to remember how remote this trans-Atlantic airplane service seemed ten years ago? Plans that could be counted on for depositing reliable over 2000 miles of open seas with no place to land. Now a airplane that could make such crossings with commercially practical payloads. Men who had made even seven crossings were still considered as draw-

backs by the public. Navigation from one moving instantly places us still in desert unknowns. So one event has caused many more airplanes to fly across the 9000 miles of the mid-Pacific.

Pilots such receive night flight pay just beyond our regular rate for one reservation, while at the same second such a headache load and risk. This is the case with any route between Florida and Cuba, my route. To kiss South America within the United States, of but in excess a great deal more water. To cross water with an air line must task a host of problems that had never been solved.


It comes from the first that Pan American has made the most aggressive expansion of route-oriented transports. It means that the new (Due in part 80)



WALTER W. KEEFER
Director, Englewood



CAPT. JOHN H. TILTON
Director, Child Rite




AVIATION TRADE ROUTE MAP of the NORTH ATLANTIC

U.S.A. ■ BRITISH ■ FRENCH ■ GERMANY ■ ITALIAN ■

All These Four NEW YORK - TURKS & CAICOS Already in Operation Represent Already The Most Profitable Routes Back Nation Will Develop

Our Lead in Ocean Flying Should Be A Priceless Atlantic Asset



These new totals by Feb. 1, 1930 for all flights in the Pacific and the South Atlantic, for survey flights between the U.S. and Europe and for the U.S.-Bermuda service.



BLUE RIBBON BATTLEGROUND

The Air Powers of the World approach the establishment of air transportation across the North Atlantic on the contest-of-contests for prestige upon the trade routes of the future. After a ten-year campaign to win the necessary rights, Pan American Airways stands on the threshold of gaining a priceless head start over all its rivals.

It still seems to be a mystery to many people, why Pan American reached the Pacific before the Atlantic.¹ There is obviously a great deal more traffic to be tapped on the Atlantic. It is only 3,800 miles from New York to London; it is 9,300 from New York to Rio de Janeiro; the former presents 1,393 miles from Newfoundland to Ireland via the longest stage—the latter reaches Amsterdam-Hamburg at 2,486. If Pan American was actually ready to set up a service on the Pacific in 1929, why didn't it apply that service to Europe, those two continents share Climate to the shelter, easier, more commercially attractive route?

The answer? (1) In 1928, Europe was rapidly assuming complexion of an air line network that threatened to tip the scale Eastern Hemisphere madly while the Pacific was still developing and less secure. The setup on the Atlantic, as we shall see, offered an adequate competitive immunity from the national point of view. (2) The

British held a key territorial position. The valuable route is completely within the Empire. On the northern route it holds Newfoundland and Labrador. On the southern Iberians. In addition, British influence with Portugal has been established for centuries. (3) The Atlantic is a more remote, Europe becomes elsewhere at the outset a greater possibility of offering an understanding with one Anglo-Saxon nation.

Now let us try to grasp what really is at stake. Certainly there is considerable traffic awaiting air transport services. No one doubts that much, because no one doubts that most what proportion of the present flow of transatlantic traffic will use the air line services, but at least it is possible to be larger than is any other economic route in the world. Especially if a considerable part of Southern Brazil, Africa, and Russia can be developed by us, this route has strong commercial attractions.

But come more the national aspects



ALL THE STRIPS—between the U.S. and Europe, airway systems or terminals are the rule. This chart shows the first division of the airway east of the Rockies. It is based on figures by Passenger Travel of the First and Sixth Classes—therefore is a good index of such carriers' air traffic possibilities.

far outweigh the direct commercial ones. Our trade with Europe, still in question of pace, will be much more rapid if we can find a way to get off the beaten path. The setup differs from that which drove American and European air lines into a hasty race to reach market areas in Latin America and Asia. Here two rival industrial centers are planning an even space-shattering service to Europe. Obviously any transatlantic air carrier would equally serve the ends of both Europe and America to either who fits it.

However, this North Atlantic trade route has come to be the World's No. 1

Transportation Showplace. Steadily officials can tell you gaudy tales to prove the value of the Atlantic underwriting dreams in shaping world shipping habits on all the seven seas. Hence the Queen Mary and the Normandie, the Bremen and the Europa, the Rexona and Berengaria. So, now as we approach a leadership established or a triumph won by a nation's participation in the war, we have three new powers upon whom the ocean armament industry depends: the air carrier of the British Empire. Application was also made in Portugal for flying rights over London and the Azores.

That was not all. Pan American officials can tell you gaudy tales to prove the value of the Atlantic underwriting dreams in shaping world shipping habits on all the seven seas. As early as 1928 the busy young executives of the newly growing airline took a task like the whole plan. In 1930 the French air line company Air France had established the route by flying from Port Said what amounted to exclusive air rights into the Azores. That year Luft Hansa's Von Goering began survey flights across the Ireland-Greenland route and the British began looking over Denmark as a potential Atlantic shipping route.

If America was to have a foot in the water, it was high time something was done. And Pan American did it right to see Greenland and Iceland were claimed. Great Britain, Canada, Newfoundland, Ireland, Bermuda were approached and concluded a willingness to consider grants of rights to Pan American's air fleet. Only the British government at first was somewhat unwilling to grant the rights of an air carrier of the British Empire. Application was also made in Portugal for flying rights over London and the Azores.

That was not all. Pan American

was on the aerial trade routes of the future.

And just what the physical shape of such routes will be in trans-Atlantic airways is not yet known. One can imagine a division of the air space to "half" and operate stage, but if the permission it can have from the countries to which it would operate. Little wonder, then, that it was not until late in January, 1938, that Pan American Airways stood at last in a position to offer to the world's air carriers a joint committee to establish a complete trans-Atlantic air service. It had been a full ten years, hardly too. As early as 1928 the busy young executives of the newly growing airline took a task like the whole plan. In 1930 the French air line company Air France had established the route by flying from Port Said what amounted to exclusive air rights into the Azores. That year Luft Hansa's Von Goering began survey flights across the Ireland-Greenland route and the British began looking over Denmark as a potential Atlantic shipping route.

had learned well to let air American experience that while air rights are of first importance, arrangements for proper ground facilities were equally vital. It turns, too, that after Ernst Bechtel, Prussia, Germany and other great nations agreed to establish air bases within their territory. That joint presentation must be carried to see the bases of each country's own air route. Hence, Pan American stands at least in a position to offer to the world's air carriers a joint committee to establish a complete trans-Atlantic air service. It had been a full ten years, hardly too. As early as 1928 the busy young executives of the newly growing airline took a task like the whole plan. In 1930 the French air line company Air France had established the route by flying from Port Said what amounted to exclusive air rights into the Azores. That year Luft Hansa's Von Goering began survey flights across the Ireland-Greenland route and the British began looking over Denmark as a potential Atlantic shipping route.

It is not to be wondered at, either, that a company that has been so established with a fleet of vessels and a fleet of aircraft on each side of the Atlantic could become actively interested. American Export Steamship Lines has always felt that its job was to render trans-Atlantic service in the broadest sense without regard to any particular air route. Hence, the steamer arrived at the mouth of a river to a port community far long enough back, it was only natural that American Export should study the possibilities of air transport over as broad an area as the Mediterranean. Unfortunately, however, Mediterranean traffic requires for air routes eight per cent of the total tonnage. There is no passenger traffic between the United States and Europe, so it was also natural that it should see its eyes on the possibilities on the other five continents.

In the past four years, surveys have been made of traffic possibilities and of the needs of the passenger, research data, on bats and on radio, weather and other technical facilities, in exchange for similar considerations, have been made to insure operating franchises to key ports. Some months ago American Export Air Lines announced that a working agreement had been reached with British Transoceanic Airlines, including P&O, Cunard, White Star, and the Italian air line, Alitalia. It is expected that the combined surface fleet of American Export and the Italian Lines will provide Route weather stations and communications for the trans-oceanic assault of both markets.

Facilities for delivery by other operating companies, American Export Air Lines was unable to guarantee any 4-engined flying boats for operation this year. It has bought, however, a new Consolidated PBY-4 which is scheduled for delivery about the first of March and which will be used for survey flights during the spring and summer.

Across it is only natural in going about the flying business that American Export should draw on the existing aviation industry for experienced personnel. James M. Baker, formerly with the Pan American Airways and now recently head of the Englewood Division of the company, has been recently announced that D. G. Richardson, long Operations Manager of Pan American's Western Division, will be Operations Manager of the new company. Collected T. Allen will be the Consolidated survey ship which will be used in connection with the American Export and the Italian air lines, Alitalia. It is

expected that the combined surface



CAPT. E. H. LA FORTÉ
Twenty-six years of brilliant service over the Caribbean and the Pacific. Now Master Pilot of Ocean Flying Boats on survey flights.

using his nonmilitary service

American Export Air Lines



JAMES M. BAKER
Executive Vice-President

used for survey flights during the spring and summer. Across it is only natural in going about the flying business that American Export should draw on the existing aviation industry for experienced personnel. James M. Baker, formerly with the Pan American Airways and now recently head of the Englewood Division of the company, has been recently announced that D. G. Richardson, long Operations Manager of Pan American's Western Division, will be Operations Manager of the new company. Collected T. Allen will be the Consolidated survey ship which will be used in connection with the American Export and the Italian air lines, Alitalia. It is

expected that the combined surface fleet of American Export and the Italian Lines will provide Route weather stations and communications for the trans-oceanic assault of both markets.

Facilities for delivery by other operating companies, American Export Air Lines was unable to guarantee any 4-engined flying boats for operation this year. It has bought, however, a new Consolidated PBY-4 which is scheduled for delivery about the first of March and which will be used for survey flights during the spring and summer.

Across it is only natural in going about the flying business that American Export should draw on the existing aviation industry for experienced personnel. James M. Baker, formerly with the Pan American Airways and now recently head of the Englewood Division of the company, has been recently announced that D. G. Richardson, long Operations Manager of Pan American's Western Division, will be Operations Manager of the new company. Collected T. Allen will be the Consolidated survey ship which will be used in connection with the American Export and the Italian air lines, Alitalia. It is

expected that the combined surface fleet of American Export and the Italian Lines will provide Route weather stations and communications for the trans-oceanic assault of both markets.

Facilities for delivery by other operating companies, American Export Air Lines was unable to guarantee any 4-engined flying boats for operation this year. It has bought,

however, a new Consolidated PBY-4 which is scheduled for delivery about the first of March and which will be



TOP SKYLINE American Export will use a Consolidated PBY-4

man then, as a result, was assured of base facilities in Canada, Newfoundland, Ireland, England, Scotland, and Bernards in France, and in Germany.

When, in 1931, the French lost their rights in the Azores through non-payment, Pan American and Imperial stepped in and assumed their obligations. When three years later, the Portuguese government assented to approve them, the last base was

shucked off the list of things to be done.

On July 2, 1935 President Roosevelt set up an Interdepartmental Committee composed of Assistant Secretaries from the Departments of State, Commerce, Post Office and the Treasury to study the development of American air transport lines in foreign territories.

In December of that year, a de-

legation arrived from Great Britain, Canada, and Ireland to discuss the North Atlantic with the newly formed committee.

Entirely what they transposed has never been revealed since the proceedings were largely of the "behind locked doors" variety. But this much is clear:

(1) In spite of an invitation for "inter-state assistance" to hang up, Pan

(Pan Am page 67)

How the Atlantic Will Be Flown

I—A Bow to

Andre A. Priester



ANDRE A. PRIESTER
Chief Engineer

THIS is a comment invited—their response to every well-considered action of a Pan American flight crew, in every P.A.A. nonstop route, in the open and open cockpitness of every P.A.A. base from Hong Kong to Santiago, from Nassau to Buenos Aires. It is obvious that to the casual observer,

The crew seems to be working, not at random, but at preplanning of which they take pride in having the well-experienced masters. The tools and gear with which they work, the equipment upon which they breath their effort into new life, the art of the way planned. The plan, at due consideration, gives an overwhelming impression of preparation long ago for just this or that situation.

A professional article is required for everyone almost akin to writing a manual of pre-planning for an ocean liner. The author would be inclined to name some 4,000 items more uniformly related with such qualities not to be exceeded but in design. And the design is that of a courageous, intense little Dutchman named Andre Priester who has been Chief Engineer of Pan American Airways since first a lone seafarer made his first trip north from another Dutchman named Anthony Fokker.

A complete exposition of the Priester philosophy of air transportation would fill a ledger, though interesting book. It would start with an es-

poused concern on Safety, Conservatism and Responsibility. It would proceed with a well-rehearsed, evidence analysis of the different factors involved in flight. Then proceed to furnish each difficulty and each hazard—not on paper, but see it once. Men—machines—bases—berthing—maintenance, order, character, qualities, completeness. No program of preparation is too long in process of the development of a safe flight to ignore the importance of a single item. Priester's motto, could explode if put to test, would explode if put to test.

Priester, himself, would explode if put to test, to make the reader see thinking. This American by far the safest big international airline in the world. That he would tell you be-

longs to the thousands of hard-working men representing P.A.A. over half the surface of the globe. He would tell you of the technical contributions of such P.A.A. department heads as Hugo Leesey, who developed the famous Pan American Douglas Liner. Of the work of Thomas Leech and engineers of experience managers, of pilots and mechanics. He could tell of progress made in Pan American problems by almost every one in the American aeronautical industry—scarcely an urgent appeal! Immediately there were often reflected answers. But Andre Priester is a leader to us all and hangs right on top. And these men in turn, would tell you he is. Priester.

When you step down the beautifully glistening dockway for your first trans-Pacific voyage by Pan American Clipper, remember some of that. The plane you will see is sleek and rugged, all in its atomic beauty. It can cruise safely indefinitely on any two of its four engines. Five men of the crew of eight upon its flight deck, can fly it, navigate it, run its radio or its four engines. Mechanics can service every last bolt and fastener and repair parts quickly, planes in flight. Fuel will be ample to carry the ship great distances beyond such objectives. A foot long (at an emergency landing), and flares and gear take 3,100 pounds from the plane's precious payload rating. Other loads may be willingly exchanged for flying time. Each engine of the aircraft, a 1,000-h.p. motorization stands ready, grand, to wait of orders, to give a push, to furnish power. As far as preparing human effort can make it so, your flight will be a safe one. These things trace directly back to Andre Priester, one of America's most astute efforts.



PAN AMERICAN AIRWAYS TO ASIA...TO EUROPE Powered by WRIGHT CYCLONES

Spanning three huge wings, a fleet of Pan American Airways Boeing-type Clippers, each powered by four 1300-H.P. Wright Double-Row Cyclones, will soon be speeding Westward from San Francisco to Honolulu, Manila and Hong Kong, China...and Eastward from New York to London and Paris.

"Pan American Makes the World Smaller" is emphasized by the proposed schedules for the new trans-Atlantic and trans-Pacific operations...approximately a day from the United States to Europe...5 days from America to China.

The 74-passenger Pan American Airways Clippers are for the world's largest and most luxuriously equipped airliners. The Boeing 314, with its two decks, 16 separate rooms, anti-suspension floors, divan-type lounge chairs and studios,

styling throughout is virtually a "Pak-Ausana Suite on Wings."

Powered by four 1300 H.P. Wright Double-Row Cyclone engines—a total of 6000 H.P.—the new Pan American Airways Clippers are capable of sustained flight on any two engines, giving a tremendous reserve of power for normal cruising operations. The Wright Double-Row Cyclone 14 is a type accepted in production quantities for extensive use by our Government Services.

"Fly With Wright Tie the World Over"

WRIGHT AERONAUTICAL CORPORATION
PAWTUCKET, NEW JERSEY
A Division of Curtiss-Wright Corporation



WRIGHT *Aircraft* ENGINES

PESCO flies the world's airways with PAN AMERICAN



Carrying the message of American Aviation Supremacy on routes on both hemispheres, PAN AMERICAN is performing an outstanding service to our industry. PESCO products are making a definite contribution to the record dependability of PAN planes, and we take pride in the fact that the new Boeing 314's soon to be put into Trans Atlantic and Trans Pacific service, have standardized on PESCO fuel, hydraulics and various pumps.



Pump products on the Boeing 314 include engine-driven fuel, vacuum and hydraulic pumps, electric-motor driven fuel pumps and hydraulic pumps for Hydraulically Actuated Propellers.

PUMP ENGINEERING SERVICE CORPORATION

1510 TAFT AVENUE • CLEVELAND, OHIO, U.S.A.

AVIATION
March 1937

America was the only American group to send representatives. (2) Our own government seemed to be leaning for the first time of the importance of standardizing upon one operating rights by the rest of the world. (3) The members decided

Washington to take up negotiations for American companies to operate abroad, in a three governmental function. That same winter Germany and France had also sent delegations to Washington for similar discussions. (4) As one result each of the four

nations was granted "experimental" privileges by the others to cover whatever "territory" or "airspace" England did not occupy. That summer the nations agreed to the principles of this arrangement and made a master (Turn to page 36)

How the Atlantic Will Be Flown

II—The Crew

THREE hours on the "right deck" of a trans-Atlantic Clipper form one of the most unique groups of sailors and one of the hardest to get into.

Not counting the steward, the bus passenger cabin, a trans-Atlantic crew will consist of at least seven men: a Captain, a First Officer Pilot, a Senior Engineer Pilot, a Third Officer Pilot Navigator, an Engineer Officer, a Radio Officer, and a Junior Flight Officer.

The Engineer Officer and the Radio Officer are specialists, long-trained in the operation of power plants and radio, respectively. In addition they have been equipped with sample theory and practical knowledge so that when it comes to radio work, nearly a solution is at hand as to how to do it in flight.

The Third Officer Pilot Navigator is in direct charge of sharing the plane's position by celestial navigation, by dead reckoning, and by radio bearings taken on the place by surface stations or by bearings taken from the plane's own instruments.

The First and Second Officers Pilot share the bulk of the flying duties. The Junior Flight Officer may be either in the co-pilot's seat, helping with the navigation, serving the Engineer Officer by assistance and tasks for him, or the big engines themselves.

Over all, or rather behind it all, is the Captain, who is in charge of the plane, its flight and every one on board it. He might handle the plane's controls in little as an hour in an emergency crossing — and he does.

But this is only a mere outline of minimum labor. Note that five of the seven—that is, all but the Engineer and Radio officers—have full responsibility to take the ship off, fly it, and land it. In addition all these five have been thoroughly trained in navigation, in radio and in

handling the engines. As a result, a sample schedule of duty rotates gives each officer one hour of rest in forty-five hours; there are breaks in a crew cabin below the right deck to permit complete relaxation.

There is no regular mail to the Captain. All photos entering Pan American service are negatives; graduates must also be graduates of Army or Navy flight training centers and have had a year or two of active military service.

The first class pilot with PAA is not an American Pilot.

As such, for two years, they work in maintenance shops, serve time of duty on Pan American flights to acquaint themselves with the work of all departments, and qualify for both Airplane and Radio Mechanics certificates.

Meanwhile they have begun a series of highly reward examinations for advancement to grade. Most take correspondence courses prepared for their special benefit by PAA, including and administered through one of the big correspondence schools. As one specific objective, they must qualify for a Second Class Radio License.

Then, after handling a strict set of written and practical examinations, the apprentices graduate on the rank of Junior Flight Officer. Senior Flight Officers are chosen on the basis of experience, ability, mechanical aptitude, the length of tenure, and aviation flying time; he can never up to Junior Pilot, First Class.

At least one year later, he may face another set of examinations for rank as Senior Pilot—this time in subjects of general knowledge, law, business management, navigation, aerodynamics, and the history and cultural background of countries served by PAA.

Here also he is not through. After 2,500 hours in command of PAA aircraft (at least 200 in flying boats and more than 17,000 in flying boats) he may sit for further examinations in advanced navigation, and finally, after passing other examinations, if, meanwhile, he has had an excellent record and shown outstanding ability as a leader and manager, he may win through to the rating of Master Pilot of Great Flying Boats.


You'll find me on the bridge of your trans-Atlantic Clipper.



How the Atlantic Will



IN SPLENDID ISOLATION. A Boeing test crew rode to the flight deck after a final check (left). To keep down fatigue on long crossings, this compartment has been as comfortably accommodated and cushioned as the passenger quarters on the deck below. Note the simplicity of the pilot panel in the rear.



BY THE MANUFACTURER: (1) Lester Watch (2) Standard Components, (3) Stetson, (4) Frost King,
(5) Sealed Plus, (6) Rocker Loop, (7) Neoprene Components, (8) Metal-Gilson's Seal, (9) Clean
Steel, (10) Hammer's Equipment, (11) Endurance Officers Free, (12) Cresson, (13) Dura-
line, (14) Wright, (15) H.A.C. Cyclone, (16) Supertite, Supertite with Knuckle-Shield, (17)
Preston, (18) Hirschfeld & White, (19) Gummite, (20) Loring Lugs, (21) Way Spurts.



late upper and lower berths. The berths being 22 inches wide. A gallery fixture belt width. Six double-decking compartments and a dining room lounge give each passenger mass room from every other place.


be Flown III. The Planes



RADIO STATION AND ENGINEERS' POST. The Radio Office has three transmitters, three receivers. The Engineers' Office has complete controls for all four engines and 21 instruments with which to watch their functioning. Most of them are dual indicators. The large clock can give readings of base and head temperatures at 30 points.



UNIQUE FEATURES: The Bento-204 is the first transom-style boat equipped with parallel mechanism access to the surfaces in Bimini.



[29] (a) [28] Navigation Light; [29] Water Dodge Model; [30] Drawn Starburst Decal; [31] Longbow Helm; [32] First Lieutenant Commission; [33] Two parrot-like [34] Spin Decals to Fiddly; [35] Mud Tires; [36] Quality [37] Second Lieutenant Commission; [38] Utility Decal; [39] Tank; [40] Lieutenant Commission; [41] Fourth Lieutenant Commission; [42] Fifth Lieutenant Commission; [43] Sidecar Seats; [44] Both Compartment [45] Private Rule; [46] Auxiliary Hold.



THE RED VERSO—here is a view of the R-7000 aspect ratio of 11.5, a symmetrical section (NACA 1000) tapered to 80%. Locating



—Sennar will characterize the time



ON THE WATER: Mackenzie can search the marlines through the who-which-those work pinholes and sacrifice very part of the surface. He's the big brother to the little brother.



THE UNITED STATES—will be back to base to make an experimental air mail service using transports like this Douglas C-47.



AND FLYING BOATS—the old fleet before days of the Empire class, strengthened to carry bigger loads and equipped for maritime.



THE UNITED KINGDOM—will soon attain dominance over waterways, their complete and fully loaded transports still serviceable. Bigger planes are in prospect.



FRANCE PROPOSES—an active part in this summer's surveys. The *Urbis de Toulon* will make surveys. Others will be made by others. (Continue to page 39)

of crossings between the Americas and the U.S., using the same technique of establishing flying boats from mother-ships; it was in October, 1936, that the South American and United States air mail Imperial post Germany is an older practice. Pan American using a Sikorsky S-42B Imperial is specially fitted Empire Post built by the Swiss leaders.

INTERGOVERNMENTAL AGREEMENT

Washington's new international air correspondence took other form. In 1936 we negotiated an agreement with Great Britain whereby each would grant to authorized owners of the other's territories operating privileges subject to the stipulation that neither service should start before the other was ready to do likewise. Since Imperial Airways has the "chain mail" route, the U.S. government agreed to grant its prompt application for operating rights. Similarly, Pan American, being the only American company interested, did this, was successful in its application to the British government. Subject only to the government's "right of way" over the airways of the government, Pan American then was in possession of the necessary air rights, and (through its agreement of cooperation with Imperial Airways) of access to all necessary base facilities to operate service between the United States and Great Britain, Canada, Australia, New Zealand and Tasmania, and between our mainland and the Islands of Bermuda.

In June, at the seat of war (1939), both companies established alternate but emergency suspension services between New York and Bermuda.

What followed was a somewhat checkered course. By year's end, Germany in 1939 announced it was ready to set up a government air mail service. Initially, Washington, taking the stand that it would grant no rights for such a service until an American carrier was ready to operate it, refused to do so. Germany, a neighborly friend, incurred a bad case. A similar plan from Germany following another emergency program of flight demonstrations in 1940 got nothing but the other, equally dead.

So far the American position was set aside, but the non-lethal triple-decker plane, which eventually would not only well prove a success, Canada a middle of traffic that runs across from the United Kingdom direct to Canada, all trans-Atlantic travel originated or terminates

(Turn to page 39)

Pioneering has made

American international air
transport... and

PIONEER INSTRUMENTS
have helped, every mile of the way!



Active participation in every forward trend in aviation is a familiar responsibility of Pioneer Instruments—but it will never become an "old story" to Pioneer craftsmen. It is too inspiring.

Pioneer "Auto-vin" compass indicating instruments as well as flight and navigational instruments are customary equipment on America's transport aircraft.

PIONEER INSTRUMENT COMPANY, INC.
(Subsidiary of Bausch & Lomb Corporation)
FENIX, NEW JERSEY

From the Great Exploit of the NC-4



To this Year's Epic Passenger Trip of the Boeing 314



Haskelite Has Crossed With EVERY American Trans-Atlantic Flyer

* The "luck" of Trans-Atlantic flights, they say, amounts of infinite care in every detail of preparation. It certainly must be more than coincidence that every American-built plane planned with such great care has used Haskelite Aircraft Plywood in one form or another.

The Pan-American Boeing Plane 314, which will link New York to Europe in a regular commercial service this year, is itself the culmination of all the planning in many planes, veterans of Atlantic flights which tested the efficiency of engines, designs and construction materials. Meeting all these tests, Haskelite has used 20 years ago, continues for this top-flight service.

This outstanding fact sums up many others—that Haskelite contributes in an unusual and distinctive way to safety, good operating and sound economic factors, and ability to take the curved forms caused by servo-dynamic construction. It is basic aircraft material made by basically six-centered engineers.

Seize their importance:

HASKELITE

HASKELITE MANUFACTURING CORPORATION
208 West Washington Street, Chicago, Illinois
Offices in Detroit • New York

Panels Stocked on West Coast by Western Hardwood Lumber Co., 204 E. 15th St., Los Angeles, Calif.
In Canada: Railway & Power Engineering Corp., Ltd., Toronto, Montreal, Winnipeg, Vancouver


A V I A T I O N
March, 1938

In the United States. As shown on the chart on page 28 the great bulk of trans-Atlantic traffic would fly over England or France. Now the most practical American service might well be one which touches our France and England, or even Russia, Germany, and Holland on a single trip. In return, as a top-to-top basis, such as these countries could make a flight to the U.S. and return. There is a general idea that the U.S. should not assist in any government that trans-Atlantic service should be allocated on a basis of the traffic each country actually contributes to the total South Atlantic flow.

But that is it may, the Atlantic dream except except through its laborious haggling over the weight and fuel requirements of the various trans-Atlantic carriers. Contributing really to the delay was the fact that none of the various involved was actually prepared—granted all the rights in the world—to set up a passenger scheduled air line to carry mail, passengers and cargo. Government and other agencies and not we in our modest planes Great Britain might have set up a postal air service at its Empire ports or in its west Maya Company or in one of its free-enterprise mail planes probably will do in this matter. But American could carry a considerable mail load from Africa to America. Moreover, it is but part of carrying the Pacific completely and sailing to Mexico to the Atlantic, it could not set up even a pioneering service for passengers.

Slowly finally in the past few months the last parts of the picture fall into place. Pan American takes delivery on the first two of its new Boeing 314 flying boats. Its crews are ready, trained through a decade of coast water experience and some 260 crossings of the ocean three times the Atlantic's width. Its bases ready on Long Island, at Baltimore, at Shantou, China, at Batavia, the Suez and Lisbon, Portugal. It has permission to use British bases at Bahrain in New Scotland, at Fayrouz in Ireland, at Southampton, England and the French base at Marseilles. So far is it all an inference, it has not the Civil Aviation Authority's blessing. But the steady, slow, close cruise of the Yankee Clipper across to Europe and return before it will be ready to offer complete service for passengers and freight, as well as mail.

Early in January, French announced, it would welcome a Pan American service to as shown provided only, (Pan to page 49)



How the Atlantic Will Be Flown

IV—The Route and the Weather

If you all you want to look at a map showing the great cycle length of the various "short-haul" trans-Atlantic air routes and arrive at an obvious but highly interesting conclusion that there is one "best" one, that between New York and England via Newfoundland and Iceland. The total length is, substantially, shorter than the Atlantic route, the former representing over-water legs only 1,595 miles, a little shorter than Bermuda-Antilles and some 400 miles shorter than the direct New York-Paris crossing.

The error arises from the fact that trans-Atlantic Clippers don't fly routes as great-circle arcs but as straight-line segments, as indicated on the maps at least. In the Pacific, for example, a flight along the "shortest" great circle course between California and Hawaii is a distinct exception—and flight routes 300, or even 200 miles or more to one side of this course (to take advantage of favorable winds or to avoid bad weather) are the common practice.

And on weather charts such as those prepared daily by the American weather men for the past three years, the northern trans-Atlantic route looks much of its initial advantage. Especially in the winter months, it is usually the southern coast under good conditions, especially for eastward passage. On Friday even a recent survey of the Mediterranean for a long trip east, the Asian route for a longer but more certain return journey

that when we can see him, we may, the service would have to be informed of his friend's situation or he discontinued. He does not expect to be given any information from our government that it would have no obligation to Pan American when continuing a trans-Atlantic service using its territory so soon to preventable—a very sensitive matter of the past. He says that he has every right to insist on a wait until his own preparations were completed.

As we go to press, nothing remains, then, save approval by our own Civil Aeronautics Authority and the flying of mail rates by their body.

Once they are forthcoming, we turn to another bright new page of what Flying has now called "the dreams of infinite possibilities."



L. CHARLES DOWD
Manager, Atlantic Division



CLARENCE H. MORRISON,
Director, Operations Manager

How The Atlantic



REGIS G. LEVEUGLE
Chief of Communications

THIS EQUIPMENT on the new Boeing is remarkable in its low power requirements and its ability to do its job satisfactorily. Two telephone transmitters, four or six telephone receivers, are available for the basic communication needs, and in addition a small audio microphone transmitter for work within 30 miles of the surface ship. Likewise two duplicate receiver resistors are provided for use in telephone circuit connections, and a telephone receiver is available. A telephone receiver is also available and is rigged up with an automatic switching system, for simultaneous use with the telephone transmitter.

The two telegraph transmitters, being electrical, are there and available for electrical transmission. The frequency range covered is very wide, covering operating frequencies variable 300 kc., 500 kc., 800 kc., 1000 kc., 1500 kc., 3000 kc., 6000 kc., 12,000 kc., the latter two for 40-mile service only; 6220 kc., 8240 kc., 8880 kc. (best for raising marine vessels). With such a wide variety of frequencies, transmitters required would be very numerous. Consequently the transmissions are of the carrier-modulator-preamplifier type, consisting of two tetrodes and delivering 80 watts output to the antenna. The carrier-modulator circuit is a special development of the PAA radio engineering staff and provides for the most reliable transmitter life with crystal control.

Transmitting antenna cables have the slots through a retractable location in under the low band used for the lower frequencies, but on the high frequencies, the great size of the slot makes possible effective load antennas which are much more flexible because a single lead can be strung from the wings to the tail.

Power for the transmitter is obtained from dynotubes, operated on the 12-34 volt system. The supply consists of three-phase four-wire grounded buses about 110 volts generated directly from a motor-generator. On the wire, a good-size synchronous generator may be used for charging. Kits are available in the plane for storing a long antenna for service of the water.

Until a few years ago it was standard practice on all PAA ships to employ on-board communications with

Will Be Flown V—The Radio

an interesting example of simplicity. Each receiver weighs but six pounds and covers, through the use of seven plug-in coils, the entire frequency range from 250 kc. to 25,000 kc. The circuit employs a stage of unbiased r-f, a regeneration detector, and two stages of audio-frequency amplification.

Direction-finding equipment

Two methods of direction finding are available, one involving a rotatable loop on the plane, the other using listening posts taken on the shore. Ground stations are also available. The rotatable loop system is used primarily as an adjunct to the Adcock system, and is of course subject to right-angle and is limited to use over comparatively short distances. The Adcock system on the other hand will give bearing accuracy within a degree over distances up to 1,000 miles, and is a highly practicable means to right-angle errors.

The direction-finding system on the plane consists of a rotatable loop mounted in a streamlined housing.



Two direction-finding stations at Long Island and at Boca and Lubbock, already equipped with sets of dipole antennae as this Pan American operator is.



One radio equipment on Clipper is in full Atlantic service is one dipole. Other equipment will be available at several health stations.



The Clipper's Radio Officer can take instructions in any audience station.

The center of the loop is fed first to a single stage of r-f, ratio frequency amplification, and then to the input of either of the two shielded receiving-audition receivers. The sum of 4 stages is required to introduce additional sensitivity, to overcome the loss of signal input due to the loss of field. Indications of the bearing differences are taken by the null-and-null method using the headphones at the output of the receiver, while rotating the loop. The ground stations are provided with intermediate frequency transmitters that fit into the centers of ground loops, driving the ground loops with field generators for 6 kc. operation. The loops are used both for taking bearings on marine craft, and for hunting for planes in the range from 2 to 10 miles.

Electric pole installations are also carried aboard two big air-sea-rescue boats which are now stationed in the Azores.



North Toward the Orient

The Land of the Bouldough is an ideal arena for air transport. Up till now, a lack of government aid has slowed up progress. The C. A. A. has a splendid chance to change all that.

IN THE SUMMER OF 1938, when Pan American Airways bought up the assets of two nearly-busted air bus operators in Alaska and merged them into the Pacific Alaska Airways, there were four basic considerations which justified it in so doing:

(1) Alaska had great strategic value in the world drama for air mail to Asiatic markets. Directly across the narrow Behring Strait lies Siberia and a thousand to Russia. Within practical flying distance lie Japan and Manchuria, each offering geographic access to China by a route which is several thousand shorter than the much-prized one which Pan American has to build.

(2) Alaska offered an excellent a training ground and laboratory for the development of an air service flying technique in the Cordillera had offered for trumpet and man-about development. In 1932 a well known aeronautical engineer predicted the Trans-Alaska route might turn out to be via Greenland and Iceland. It is still possible that trans-polar, or at least polar Arctic, air routes will eventually play an important part in the World's trade.

(3) The vast territory of Alaska made an ideal field for air transportation. However, the railroads are almost non-existent. Tidewater flew dug teams, at an only winter, resources, and river streams, operating on fixed winter schedules, form almost negligible component.

(4) The unlimited possibilities of an air route crossing Alaska and the

attraction of opening the region. How has it all worked out?

Beyond a doubt, Bendix-Scintilla has triggered a gratifying series of airline flying tests. It has learned how to conduct trans-oceanic flights to the Orient. It has developed a unique, proven new as a trans-oceanic pilot. In has developed test flights to Japan and Manchuria, each offering geographic access to China by a route which is several thousand shorter than the much-prized one which Pan American has to build.

There is no doubt either that the Trans is being built up to the point of regular service. In fact, in 1938, a total of 40,000, not last year Pan American Airways carried more than 30,000 passengers.

When on May 21, 1938, P.A.A. opened its mail service on its twenty-old Pan-Pacific-Japan service, the whole Territory left at holiday mood. When it began carrying freight, however, "airmail" came from Seattle to Japan, using a Boeing S-32, Alaska held it at the coming of a new day.

For all this learning and all the acceptance of airplane transport, Pan American's Alaskan helpers are scattered in heavy red ink. For the sake of the greatest of "her transport" ambitions

from perfect. Until the Civil Aeronautics Authority Act was passed, there was no provision for any real air mail service within the Territory. The best an air line could do at that disclosure was to win a limited air mail franchise, then proceed to make up the deficiency with dog-eat-dog negotiations for almost unbalanced pickup and delivery stops. The long-delayed mail contract for the Pan-Pacific-Japan service was legally possible only because it could be broken into two "separate entities" routes at White Horse.

To support this new post office, Alaska has an almost isolated Alaska, or even many ones where airports can be cheaply built. Pan American and other private interests have sunk hundreds of thousands of dollars into airport construction, but even the largest companies can't afford to maintain a trans-oceanic route. The largest practical flying route in the Territory. With 500 pounds of precious payload announced by Arctic gear, with a crew of three (two pilots and a multi-engine flight mechanic), operated by safe operation requirements, with more capacity taken up with ice removal, the aircraft must start with a cargo payload capacity left to be as air line starts a living.

The new CAA act may change all this. A moderate government investment in airports and airway aids, some fuel cost rates, plus a concession with domestic U.S. air lines—and Alaska will indeed be out of the greatest of "her transport" ambitions.

Safety...

A MATTER OF BOTH
OPERATION AND OF
FORESIGHT!

*
SO, PAN-AMERICAN
PROVIDES
"INTERNATIONAL"
FLARES AND SIGNALS



* Transportation, whether by rail, road, sea, or air, must overlook no opportunity to provide maximum safety under all conditions. It is therefore natural that, having developed its operating techniques to the highest possible degree of perfection, Pan American guards against even remote contingencies by equipping its ships with the most dependable Flares and Signals.

Complete information concerning these products will gladly be sent upon request.

Division of THE KILGORE MANUFACTURING COMPANY
TIPP CITY, OHIO

BENDIX-SCINTILLA

Aircraft Magnetos

are the ignition equipment
for all aircraft engines
operated by

PAN AMERICAN AIRWAYS

Good Neighbor Skysways

(Continued from page 21)

Daniel Stone, and both France and Germany had plans which soon would have shifted the rest of Latin America but a similar pattern.

As a matter of fact, this was even the worse of the situation. By the rules set up at a conference at Montevideo in 1938, Pan American and its Latin American country partners had endorsed most of the decisions in at least all of their present purposes. As a result, the nations of Europe found ready that such a state of international air transport required elaborate diplomatic parliamentary. They found that "rights" could be secured by no methods. First, by having rights to operate over the same territory for reciprocal rights over the territory of other nations. Second that the airline, as a private enterprise could obtain reciprocal rights as it saw without committing its home-governments to the granting of reciprocal rights in exchange. The use of such rights as a means to expand in the world had been denied by the later motto—fearless of the effects downstream of the former method. Especially, were such rights separable from nations having no air transport authorities of their own who would grant reciprocity and sometimes even exclusive rights to a different nation, as did Germany for example.

It was natural that European partners felt obliged to fear what France and Germany had already in their grasp or many parts of South America about ten years ago. That they were the situation when the young men who had organized the Pan American Air Service in 1930 had reached back to Pan West and Panair late in 1932, finds its own a sharp contrast between the two. They were the leaders in those countries, and the first to offer reciprocal rights to the new group of states.

That was the situation when the young men who had organized the Pan American Air Service in 1930 had reached back to Pan West and Panair late in 1932, finds its own a sharp contrast between the two. They were the leaders in those countries, and the first to offer reciprocal rights to the new group of states.

It did require the right to establish and maintain facilities in those countries, a matter which is often far more important than the technical operating rights themselves.

This was the case in a later result of a conflict. Latin American transatlantic system was chosen as to air rights, but not necessarily for a and contract, set into operation. By the end of 1939 no less than 32,000 miles of roads had been upgraded and was steadily carrying traffic and passengers. By the time of the war and its affiliated had conducted their own operations which had been through Miami and Central America, which bridged the Caribbean from Florida with two routes to the Northern Coast of South America, which completely gilded that comment.

It was natural that political achievement. The immediate effect was to render us on our management-operatives in the cause for Latin American trade and to render it more marked than ever before. American business men found they could now get an answer to a letter written to any part of the Caribbean area or Latin America.

The result was a company called Pan American Airways, Inc., founded by Pan American and Gobernacion de la Amazonas and Gobernacion de la Amazonas and the West Indies Aerial Express in 1930 and closed the way to Puerto Rico, Cuba, Brazil and Argentina in 1939. New York, Rio and Buenos Aires. Late in 1939, in 1940, a right-hand turn in the direction of CAAATA, and in 1941, when Pan American severed from the companies brought into the system were not operating eighteen necessary ground facilities. There were no rights required from the West Indies aerial Express, CAA Mexico, Kyrle or others. Pan American was given the right to do whatever it wanted to do with its rights in practice from the government concerned. However,

it did eliminate weather services which again and again proved helpful at warning of approaching storms and hurricanes. That service with a weather station at Rio de Janeiro, Brazil between Natal to Bahia, regular weather warnings being set up at 1934. With the establishment of its present political regime, Germany's efforts redoubled. It had always and the "local-coupons" technique with considerable success. Country X, for example might be convinced to extend its services to us, we have been invited to let a foreign office control us. But why didn't Germany enter into help negotiate such a service. Gobernacion might be entirely local; as might many of the others. Gobernacion would easily to hand and member of the Pan American family of the Americas and Central America X could be invited to take over. The result, of course, is perhaps even more effective from a completely "foreign" enterprise in furthering German interests. Such plans as this have been adopted as proposed in almost every South American country within the past few years.

And that isn't all. For years and years has been built continually from the first Pan American's services were complete. That is, a could speed passengers as well as mail and express between the U.S. and Latin America, while French and German air lines (except the Graf Zeppelin) could not. In 1939, Pan American had 100 flights a week to the Americas. Now both Douglas Lockheed and Air France have announced they will start passenger service between Africa and South America beginning from straight.

Germany, with large industrial blocks of oil and sugar in South America and plan to open up the same under the leadership of the National Economic Affairs service, fully extending its services to Andes in Chile. It reached the West Coast from Brazil by way of Iquitos. With the Graf

Zeppelin, it set up an airship service to Brazil. In 1933 it began supplying that service with a transatlantic airship. The Graf Zeppelin had been lost between Natal to Bahia, regular weather conditions being set up at 1934. With the establishment of its present political regime, Germany's efforts redoubled. It had always and the "local-coupons" technique with considerable success. Country X, for example might be convinced to extend its services to us, we have been invited to let a foreign office control us. But why didn't Germany enter into help negotiate such a service. Gobernacion might be entirely local; as might many of the others. Gobernacion would easily to hand and member of the Pan American family of the Americas and Central America X could be invited to take over. The result, of course, is perhaps even more effective from a completely "foreign" enterprise in furthering German interests. Such plans as this have been adopted as proposed in almost every South American country within the past few years.

And that isn't all. For years and years has been built continually from the first Pan American's services were complete. That is, a could speed passengers as well as mail and express between the U.S. and Latin America, while French and German air lines (except the Graf Zeppelin) could not. In 1939, Pan American had 100 flights a week to the Americas. Now both Douglas Lockheed and Air France have announced they will start passenger service between Africa and South America beginning from straight.

Moreover, Pan American and Italy have entered routes in South America and plan to open up the same under the leadership of the National Economic Affairs service, fully extending its services to Andes in Chile. It reached the West Coast from Brazil by way of Iquitos. With the Graf



ERNESTO RANGUIGNI
Minister of Works, Uruguay



B. G. RICHARDSON (See page 30)
Division Operations Manager



RONALD D. KNOBELL
Division Chief Pilot



CAPT. FRED KRUEGER
Division Chief Pilot

CAFE BOHEMIA
Division Chief Pilot

H. W. TROOST
Division Engineer

E. P. CRICKEY
Division Operations Manager



W. O. BISTER
Manager Finance Division



Boeing Leads

WITH 4-ENGINE AIRCRAFT

NOW PRODUCING THE WORLD'S ...

... LARGEST FLYING BOATS

Boeing 314 Clipper

... FIRST "UPPER LEVEL" TRANSPORTS

Boeing 307 Stratoliner

... FASTEST SUPER BOMBERS

Boeing Flying Fortress

Our rapid development of 4-engine aircraft in the United States has marked a significant milestone in the world of aviation. In this new 4-engine era, the most Boeing stands foremost.

The giant 74 passenger Boeing 314 Clippers have been awarded their Approved Type Certificate by the Civil Aeronautics Authority and the first ships of the Clipper fleet have been delivered to Pan American Airways. Designed with special emphasis on passenger comfort, long range operating efficiency and safety, these great flying boats are capable of spanning either the Atlantic or the Pacific with a commercially practical load of passengers and cargo.

Meanwhile the first of a fleet of Boeing 307 Stratoliners has completed with outstanding success its comprehensive schedule of preliminary flight tests. These planes,

designed to capitalize on the advantages of high altitude flying with its attendant comfort, speed and safety, are another vital forward step in commercial air transportation.

The Boeing B-17-type Flying Fortress in the service of the United States Army Air Corps have proved their capabilities by thousands of hours of flying in all varieties of weather and on all types of assignments. Their service record has unceasingly demonstrated the merits of 4-engine aircraft.

These three types of 4-engine equipment, now in current production at the Boeing factory, are the proud and honored symbols of American leadership in large plane construction:



BOEING HAS ALWAYS BUILT TOMORROW'S AIRPLANES TODAY!

Our new services must be stepped up in frequency, not necessarily on a batch-for-flight basis, but to keep the present reservation of air transport to the United States on a par with that to Europe. As our chartered air lines have so well learned, the fastest planes in the world must be treated as the tool of communication rather than luxury, having utilization and frequency of schedules.

We must do every particle during within our power, too, to facilitate the speed of our transoceanic schedules. Much is already at hand in this regard. Pan American is underway to expand the full trans-oceanic technique as developed at the Atlantic. This means more nonstop flights or less flying hours, at right-to-trans-Caribbean countries. This can be obtained one whole night's layover in the North Coast of South America. Thus an entire "business day" can be shaved off all schedules from the point eastward. Single flights will be the rule of the coming years, less time being available for stops. There are political difficulties involved in obtaining permission to set up and operate the necessary ground equipment. The more will be extremely costly and one which Pan American Corp. can hardly have resources. But steadily the Civil Aviation Agency is moving in the right direction by setting up flights on and over Caribbean islands and ways may soon be found to extend such basic service and to other parts of the network.

A third line of attack lies through the sub-airlinesphere. New airline operations offer more advantages as far as economy of the cost of passenger rates index technique than the airways. The points of enroute are far enough apart to justify the utilization of the train and for clash. The service and the weather make low flying, especially at night, a thing of difficulty. Already Pan American has three Boeing 307s in operation, and two more are in flight tests. The Latin American situation may well become the first air line of the World to be operated on a high-level basis.



FIG. FLYING DOWN TO 300* Pan American will use its Boeing 307s to fly over the Atlantic in lot over Latin America—service first for Transocean Corp.

Flight No. 269

(Continued from page 25)

air line must have practical low-weather ratings on every flight it dispatches. The fact that present static radio phone range very limited, on Pan American as on no other airline development of aircraft code-type radios. The job might eliminate super-concentration maintenance relatively unnoticed.

The speeds desired as stability in

service are somewhat "unusual" on

our routes but fully within the

right past 30 years ago.

The same year Pan American's report called for proposals for a new type of twin-engine transport—one capable of "a range of 2,000 miles against 500-mile head winds, a ceiling of 25,000 feet, and a total 200 pounds of payload . . . carrying speeds at 60 per cent of rated engine r.p.m. at 345 m.p.h."

At a small Shreveport and Glens L. Martin sub-plant began construction in 1933 of three big B-17s. Both designs had exceeded the original requirements. Each plane, the Serials 842 at 40,000 pounds and the Martin 130 at 50,000 pounds gross weight, are still today the most efficient load carriers of their weight ever flown. When the first of each type was finished in 1934, they called forth much of well-deserved praise.

The story of the next two years of the Pan American project has been told in previous columns of *Airline* to need more than a massive bare. March 27, 1935, the steamer *North Star*, loaded down with thousands of tons of cargo and carrying 138 air line passengers and crew, started across the Pacific Ocean. On a then record "nonstop" flight, it became the first to cross the Atlantic and complete a round trip.

and supplies through to Manila where another was soon started. April 16, the *Nonstop* out of Honolulu on the first of low "surveys" flights of increasing lengths that "showed" the territory as far as Guam by October. On Nov. 22 the *Nonstop* "China Clipper" took off from California to start a nonstop service through to Manila. By the winter of 1936, Pan had been joined by its namesake, "Mariana Clipper" and "Philippine Clipper." During the summer of 1938, schedules were set for regular weekly departures such Wednesday afternoons from Alameda on San Francisco Bay. In October, 1938, the service was extended to passengers. October, 1938, the *Nonstop* was first to cross the Pacific Ocean and Manila on the China Clipper.

What is more important than such a running history of the project's development is to realize that, for all the five years of intensive preparation that preceded the opening of passenger service, the *Nonstop* had not landed between 8,000 miles of the World's longest ocean, was still one of the highest forms of pioneering ever attempted in this technological Age.

A technique of operations, a body of know-how, a team of engineers—all representing great advances over any previous industry—took up the task. The *Nonstop* has been constantly unchanged in its basic features through the past three years. It does not mean that great labor has not been expended on it. Radio, navigation, weather systems have all been thoroughly refined to meet the supreme needs of their own particular needs. Consider the long-range flights made with their courses hundreds of miles in "jolt" their winds and weather. Long West-East flights are problematical of technique or loadings on the deck-area and required development of stable lights to mark key harbors along the routes on safety. Maintenance crews, too, have been heavy toll in labor to make them complete and reliable. No one knew how crews would stand up to the tasks the Pan American's aircraft art. Studies began of crew usage by flight by month and by year.

From the start it was recognized that even larger ships would be needed before the crossing could be made by

Pan American Specified

INCONEL

EXHAUST MANIFOLDS FOR THE BOEING 314'S



Not only Boeing and Pan American, but plane builders, operators and exhaust manifold makers throughout the entire aircraft industry put their O.K. on Inconel*. Good for thousands of hours of trouble-free operation, Inconel resists heat and corrosion, and so retains its toughness and strength. For planes, large and small, it is a proven manifold metal.

THE INTERNATIONAL NICKEL COMPANY, INC., 67 WALL ST., NEW YORK, N.Y.

*Inconel® is a registered trade mark of The International Nickel Company Inc., which is a part of a world-wide company approximately 900,000,000 lbs. of aluminum and steel.



TELL
TALE

With the flying of transport airplanes getting so complex, any move to reduce the chances of pilot error is a step in the right direction. A new device for this purpose is herein described.

By T. P. Wright
*Editor and Director of Publishing,
Custer Wright Corporation*



These pictures taken in the workshop of the Charles Wright Metal Works show the reduction of the "ball-tube" in the plates and to the other instruments.

AND, INDEPENDENTLY general principle applicable to all transportation and to maritime port navigation by other industries engaged in serving the public, is this: "In an industry rapidly advancing both in practice and in scientific research, the best way to keep up with the times is to keep pace with the progress of knowledge." This position is one of reducing complications in the art of increasing complexities of engineering." The development of transport systems has resulted in more and more complications of methods and multiplication of instruments. Flying operations may be possibly carried on under conditions which would be considered as preposterous. Accepting such extension of service, however, there must be improvements which will result in the greater safety.

In "AEROMARINE" for August 1938, a description of the Curtis-Wright Model 29 Transport was presented, stressing particularly those features, the aim of which was to enhance safety. Among the devices described was a "specially designed Tech-Tite" instrument panel which relieves the pilot of constant instrument checks during a given flight.

flight engine or when changing to another route." Analysis of the causes of accidents of the past shows that they have, as substantial proportion, been brought about by "pilot error" or by adverse weather conditions in which faulty pilot judgment may have contributed. It is therefore, the defense responsibility of the airline administration to improve the pilot's working and



as to relieve him of unnecessary duties as to lessen fatigue and, therefore, "pilot error."

The operation of a modern transport airplane is necessarily governed by a great many instruments, some of which are mounted in tandem. Most of the instruments give vital information as to the mechanical condition of the powerplant system, the electrical and hydraulic systems, the landing gear, and the aircraft's position in the prescribed route; and if alarmed at times, give warning of impending future breakdowns or impending failure.

In addition, the various control surfaces all have a very definite setting which changes for each flight regime. For example, the proper position of a given control for cruise operation may be changed when making an approach for a landing. It is basically impossible to observe all instruments and control settings at one time and an increase in the number of operating procedures is not compatible with reliable assistance that important warnings will alert us in time. In bad weather operation, it becomes particularly difficult to pay enough attention to all such details.

ent epidemiological studies have shown the importance to safety of keeping pilot fatigued. The fundamental duty of the pilot should be staying conscious. Right attitude can be easily attained if there are clear guidelines regarding proper functioning, proper positioning of switches, and how much time in visual view will result. The antibiotic has performed valuable role in reducing the pilot load but there are still many other present day efforts to reduce pilot stress. These include the use of checklists, automation of functioning of all instruments and of the cockpit.

Let us see what is meant about the "Tilt-Tube" stabilizing mechanism. The figure below is intended to show the accompanying instrument board photographs and comments, broadly speaking, of new parts; the face will indicate by signal lights whether or not instruments should be read in a particular range. The indicator will have a red light in the full range, while the center part will indicate proper functioning by polarization at various points which vary in operation as switchings of different flight

CAMBRIDGE A.M.I. on the BOEING 314



How to navigate airplanes

Understand the theories of air navigation, the practices of all four important methods, everything you need to choose and use the simplest and most effective navigation procedure for any type of flight—this book shows you how.

Just Published

Air Navigation

New 2nd Edition

By P. V. H. WEEMS

Lieutenant Commander (Retired), U. S. Navy

572 pages, 306 illustrations, \$5.00

This book offers you complete training in air navigation. It covers everything that should be known by the aviator, whether flying long distances or short, whether navigating by radio or celestial means, whether flying at night or during the day, in clear weather or in the worst flight. Covers the fundamentals of computing distance, direction, time, maps and charts and their use; the more advanced subjects of navigation from their relationship to the construction and efficient use of every type of aircraft; covers fully the theory and value of dead reckoning and its practical application.

Actual flight data

The chapter gives a detailed account of the navigation of the Polar Bear by Ellsworth and Biddle. Includes a 1939 solo flight from the British Isles to the United States. Includes descriptions of present school tactics and flying the R-10 and various aspects of the recent improvements and developments made.

Up-to-date and practical

The new second edition has been revised to take into the latest methods. Last year's edition was designated "the best book ever written on the subject." This year's edition is even better. The author, P. V. H. Weems, is the author of the best-selling "Flight Manual for Pilots," "Practical Flying," "Advanced Flying," "Instrument Flying," and "Dead Reckoning."

The new Boeing 314 is equipped with two Cambridge dual-axis Auto-Mercury indicators mounted in the right cockpit instrument panel. As an example of transports and military ships throughout the world, this instrument makes the aviator feel secure and a real participant.

Designed as a flight instrument, the Cambridge Auto-Mercury indicator indicates continuously the True Air Ratio of the oxygen status by analyzing a sample of the exhaust gas. The indicator calibrated in feet Air Ratio over a range of 11 to 200 permits a continuous guide marking the pilot to control accurately the oxygen status, either at sea level or high altitude.

The Cambridge Auto-Mercury Indicator helps to make possible fast engine performance under any given set of conditions. Because breathing is fluid metabolism . . . increase is required . . . greater safety so that it enables the pilot to fly by the minimum length of time when fuel supply is low.

Models available for L, R, E, and Aeroplane aircraft.

Send for literature

1932 Great
Central
Division
Cambridge
Instrument Co., Inc.
Manufacturers of Precision
Instruments

Photographs
of Precision
Instruments

AVIATION
March 1933
45



WOODEN BLADES

for Controllable Props

For two years Harry Berliner and Fred Wicks have been experimenting with the Schwartz composite wood and plastic blades. Now they are in production in a new plant.



Polished and unpolished blades. Note plastic laminate and solid wood laminated into solid laminated spruce structure of the blade proper.

Heavy gauge steel is added as a wear plate at wear spots which are later machined in the blade and then laminated in the plastic cellulose acetate material with which the blade is then covered. The finished propeller has a perfectly smooth leading edge and blade surface as the cellulose acetate is thick with the steel wear. The top blades are designed for high tip speeds thus increasing the maximum portion of the blade with a low section and with such reinforcing embedded in the plastic covering.

While the greatest advantage of these composite wood and plastic blades is probably their light weight (over 50 per cent lighter) than existing sheet fiber (over 50 per cent lighter) they have other distinctive features, such as the ability to damp out vibrations, freedom from fatigue difficulties, and the use and ease with which new or experimental designs can be constructed.

Two blades of the Schwartz type.

use a coat of impregnated and varnished hard wood called epoxy which is flexible and adheres onto the blades.

The leading edge protection on the Schwartz type blade consists of a long narrow strip of metal or refractory

AVIATION
March 1933
47





HARLOW PJC-1

An all-metal machine with transport features designed for the private owner field.

AT THE END OF THREE YEARS of development work, and intensive months of flight testing, the new Harlow Transport makes an bow to the field of passenger-carrying aircraft. It has a maximum speed of 190 mph and a fast cruise rate under 177 mph.

The present plane is based on a two place plane, but the production airplane will be of four place type. A large door on the right side of the fuselage provides easy access to the

cabin interior from a walkway along the wing root. The cabin is completely upholstered, sound-proofed, ventilated and heated. Wide vision is provided by generous windows. The front window is 18 inches wide and has a defroster on the inside. A 145 h.p. Warner Super Scarab engine provides a claimed top speed of 190 mph and a cruising speed of 160 mph at optimum altitude. In landing speed is put at 40 mph with the rudder fully ex-



John Q. Kelly, Jr., vice president in charge of Sales for the Harlow Engineering Corp. He has been active in airplane distribution for a number of years.

truded to their maximum deflection of 40 deg. Rate of climb is 300 feet per minute and service ceiling 13,400 ft. Cruising range is 600 miles. The plane is built of all-welded, easily removable, stable to a high degree, and easily controllable steel in the stated conditions.

In structure the Harlow features a continuous wing, with removable tips for servicing. Such a structure requires no splices, nuts and bolts, and avoids concentrated loads at fittings. The characteristic landing gear retracts completely into the wing in six seconds and may be extended in ten seconds. The action is positive and the gear holes are closed during both up and down portions. Smooth operation of the gear is guaranteed in event of failure of the electrical system. Oil hydraulic shock absorbers provide lateral stability. Tire size are semi-fine pressure type of 21 x 8.00 diameter. Hydrostatic operated disc type brakes are standard equipment. The streamlined tail wheel is either steerable or lockable, and turns through 360 deg. The electrically operated flap may be stepped in any desired position.

Standard equipment includes dual wheel control, arm rests, dome light, assist grips, auto trays, plane compartment, map pedestal and cigarette lighter. Seats and seat backs, cabin and walls are upholstered in Duftex cloth. Instrument panel and weather moldings are finished in harmonizing tones. Standard instruments equipped include: compass, tachometer, alidade, tachometer, rate of climb, bank and turn indicator, of temperature, of pressure, and fuel pressure gauge. The instrument panel is mounted on rubber and is inherently damped. A large luggage compartment is located aft of the rear seat, is accessible from the outside, and contains ample room for baggage and bags, brief cases etc. Cabin ventilation is accomplished by means of ducts which bring fresh air from the leading edge of the wing away from the engine compartment. An exhaust blower keeps the air in cold weather, the return of air, and insulation being controlled from the instrument panel.


Douglas Lind, general manager of Harlow Engineering Corp., is Miss Harlow, formerly associated with the Hughes Aircraft Company. Harlow also served as a consulting engineer for the Lockheed Brothers Aircraft Co. in 1931, as designer and supervisor for the Harlow Corp. in 1936, and as works engineer with Douglas in 1934 and 1935. President is J. E. Alexander, veteran western avia-

tion executive, former sales manager for Ryan Aerocar Co., and also associated with Howard Hughes in buying Bellanca, Angels, John C. "Jack" Kercheval, general manager of the company, is responsible for the design of the plane. Kelly is widely known as a pilot and for his work as general sales manager for Stinson over a period of six years. Also associated are W. T. White, and H. F. Kaman, Los Angeles bankers. Specifications and performance figures supplied by the manufacturer are as follows:

Span	36 ft. 7 in.
Length	27 ft. 6 in.
Gross weight	3,610 lbs.
Empty weight	2,410 lbs.
Power plant	One 145 h.p. Warner Super Scarab engine.
Fuel capacity	100 gal.
Oil capacity	10 gal.
Passenger capacity	Two passengers.
Interior dimensions	127 sq. ft.
Interior height	46 in.
Cockpit width	42 in.
Cockpit height	40 in.
Cabin width	40 in.
Cabin height	36 in.
Landing gear	Steerable tailwheel.
Wing area	210 sq. ft.
Wing load	18.1 lbs. per sq. ft.
Wing thickness	1.25 in.
Wing aspect ratio	4.5.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.
Wing twist	0.005 in. per inch chord.
Wing incidence	0.005 in. per inch chord.
Wing dihedral	0.005 in. per inch chord.
Wing leading edge	0.005 in. per inch chord.
Wing trailing edge	0.005 in. per inch chord.
Wing camber	0.005 in. per inch chord.

Automatic Prop Synchronizer

Hamilton Standard Devine Synchronous Engines by adjustment of propeller pitch



Compass parts of the *Acanthocinus aedilis* brain Region A is the mesal complex and its anterior complex output to the midline of the differentiated motor controlling the speed of flight. Region B controls the other winging of the differentiated motor areas from the posterior. Changes in the frequency of the two writings cause the writer to write, which changes the anterior complex cell. The mesal complex was recorded.

reached. These are off the maina and operate a clutch and lever which disconnects the motor from the worm rack and stops the propeller control track further movement. A small signal light further back is located on the control box to signify the pilot when the extra propeller pitch position is reached.

New Fairchild 24's



By changes in mass-produced details have been made to the 1989 model (not a model of detail) performance without price increases are valid. Among them are hydraulic brakes, improved tire shock absorber till wheel, protection by steelwires. Plastic and safety glass windows improved instrument panel reinforced stops, resistance and redesigned engine mount and cooling for the Transaxle model.


operation

Each differential motor is equipped with two adjustable limit switches which operate when either maximum or minimum rpm of the engine is

卷之三

**THE NEW VULTEE
V-12-S SCOUT
BOMBER SEAPLANE**

Engineered for water and land operation. Flotation and land gear easily interchangeable.



VULTEE AIRCRAFT

Division of Boston Manufacturing Corporation

-AVIATION

RADIO

Dialing the Air Waves with Don Fink



New Power for Ultra-Highs

Hundreds of watts at wavelengths below one meter give additional impetus to blind-bombing development

The "Kymron," which generates megawatts at wavelengths as short as one centimeter, has been first to enter into production with the system of blind bombing originated by Irving Marshall, Senior Astronomical Engineer, in the Civil Aeronautics Authority, and which has been developed at the Massachusetts Institute of Technology with CAA funds.

When the Kymron was first demonstrated it generated radio frequencies as high as 120 Mc specifically to accomplish success, as research advanced, the fact that several radio engineers have for years been working longer and higher frequencies with wholly new approaches to the production of high frequency energy would become evident.

This hope has been rewarded, in a big way, by announcements from those independent sources of news of several unusual sources of power which have been recently announced. In the point where bandwidth, rather than intensity, of waves may be generated at frequencies as high as 3,000 Mc. The three sources are Stanford University, the RCA Manufacturing Company, and the General Electric Company. All three have developed or are now perfecting means of producing high power, which were independently developed, but which depend fundamentally upon one basic element, a beam of rapidly moving electrons. The theory by which the beam is generated differs widely in the three systems, but the result is the same, high power at extremely short wavelengths.

While it appears that all three generators will eventually be applied to the problem of aircraft radio, the first definite announcement in this field has come from the group developing the Stanford University device, the "Klystron." This device, as its name implies, is designed as easily as three handkerchiefs in a wavelength of 30 centimeters, but is doing as well with good frequency stability, and at an efficiency of 30 to 40 per cent. Furthermore the klystron may be used as a source of high frequency energy, and at the same time as a receiver, since receivers at 300 Mc. coverage are less than 60 centimeters; a beam has been difficult to obtain more than 2 or 30 watts by conventional methods. This

magnification, capable of somewhat higher power, has been handicapped by several factors, especially materials and highly critical design.

So the researcher has been hopeful that some new approach to the production of high frequency energy would be successful.


This hope has been rewarded, in a big way, by announcements from those independent sources of news which have been recently announced. In the point where bandwidth, rather than intensity, of waves may be generated at frequencies as high as 3,000 Mc. The three sources are Stanford University, the RCA Manufacturing Company, and the General Electric Company. All three have developed or are now perfecting means of producing high power, which were independently developed, but which depend fundamentally upon one basic element, a beam of rapidly moving electrons. The theory by which the beam is generated differs widely in the three systems, but the result is the same, high power at extremely short wavelengths.



Irvin Marshall, Senior Astronomical Engineer

systems should be one of the first practical applications of the new device. Subsequently the Sperry Corp. may expand the manufacturing rights, and has produced several examples of the klystron module, or wave guide. One of these was taken to Cambridge to the M.I.T. laboratory during February for a test, and with highly satisfactory results. The model produced 300 watts at

The application of the klystron is being made in the Milt-M-17 system of blind bombing, through the joint collaboration of the CAA and the M.I.T. project, and under a contract to the Massachusetts Institute of Technology, the M.I.T. engineers and the Sperry Gyroscope Company which manufactured the physical model. Senior from Stanford University, which holds the patent. Here, in Stanford University, the idea of the klystron goes way back. The theory, however, has been developed in cooperation, research work in the Stanford Physics Department, in order to further studies in communications. The research program was headed by Prof. D. L. Whistler and carried out by R. H. Vianas (a Princeton University alumnus of students); his brother, S. F. Vianas, Research Associate; John Woodard; John Hayes, head of the Aircraft Service of the Civil Aeronautics Authority and Irving Marshall, immediately saw the possibilities the klystron offered in microwave generation. Accordingly these men, and Captain C. E. Clegg, helped to evaluate the Stanford's satisfaction that the Milt-M-17 blind-bombing



Circuit of the Klystron, the new solid generator

wavelengths between 30 and 40 centimeters. At wavelengths as short as this, it is possible to radiate narrow beams from small, simple beam structures, and it is on this principle that the single-line glide path is based.

The principle of the klystron is shown in the figure. At the cathode left is the gun, C. The electrons are accelerated by heat. Beyond the cathode is the right is the system of focusing electrodes, F, which direct the free electrons along a narrow beam, much like a stream of water moving along the nozzle of a hose. The beam of electrons is then passed through the two chamber, part of the accelerating structure, and then passes through the drift space to the final chamber. The field-block connection maintains the equilibrium in the first chamber and segments them strongly. Consequently the electron beam in "bunched" more significantly in the first chamber, and to increase more vigorous oscillation in the second, the last part of which is fed back to the first chamber. In this way an electron circle is built up, and the strength of the oscillation increases until no more power (power taken from the energy in the electron beam itself) is available, whenupon a steady state is reached.

The beam, on passing through the

second chamber contains very large groups of electrons, corresponding to high energy per group, and this energy is delivered at the oscillating frequency to the collimating nozzle A. From this nozzle the output power may be taken, and the total output power may be increased, if necessary, may be achieved by changing the speed of the beam, or by controlling the number of electrons in the beam, by means of a control grid associated with the focusing electrode. The whole assembly, including cathode, gun, focusing electrodes, beam-forming chamber, and collector, is mounted in a vacuum-tight enclosure from which all gas has been thoroughly exhausted.

The advantage of the device is that, due to the modulated transit-time resonance which depends on the speed of electrons, passing through a gap, a power can be obtained which is greater than a factor of immensely great speed can be used, and secondly in the regenerative feed-back regeneration scheme which builds up the amplitude of the oscillations.

The klystron structure (which takes us from the Greek word denoting a string) may also be used for receiving. In this case the first klystron is supplied with oscillating energy from an antenna, and receives in "bunched" the electrons which pass through it. The bunching process may then be regenerated through a second chamber, exactly as in the case of the transmitter. The results of the second phase of the investigation have not yet been completed, but will be brought to the attention of Aeronautics' readers as soon as information is released.




Irvin Marshall in whose system the Klystron is to be applied

Marker-beacon Receiver

Radio Receptor Corp. brings out a New Model for 75 Mc. Beacon Signals

After continuing wirelesses principally to support transoceanic flights and communications, the Radio Receptor Corporation has recently announced a receiver, a 75 Mc. marker beacon unit, designed to meet the CAA requirements for liaison and approach type marker beacons. The receiver is said to have a sensitivity of 10 microvolts at 75 Mc., and a selectivity of 1000 cycles per second. The receiver is said to have a frequency of 4,000 Mc., derived from the signal input and a crystal oscillator.



The receiving mechanism of a 50-watt transmitter shown transmitting a signal to a receiver equipped with similar mechanism. The Fazek Telecommunications Laboratories are now conducting flight tests to determine the feasibility of automatic message transmission direct to aircraft.

cocked oscillator. The receiver responds to signals as low as 150 microvolts modulated 30 per cent and is capable of direct modulating response rates of 400, 1,000 and 2,000 cps. Each of these modulation frequencies is used individually to control three signal outputs. The receiver has a 12-volt 100-watt power supply, 125 volt a.c. In the circuit a voltage stabilizer is used, with a.c. as tube rectifier and filter used.

The receiver shown in the accompanying illustrations is divided into two units—the signal loop panel which is mounted on the instrument panel and the receiver which is mounted wherever convenient in the

ship. The lamp and control panel controls the on/off switch, a transmitter-control switch and a phone jack for local monitoring of the receiver output. The receiver is designed to a 20 ohm transmission line basis for the antenna, and is equipped for rapid frequency changes by means of a power-supply consisting of a 12-colt filament source and a 200-volt dc battery. The receiver maximum capacity is 50 watts of 20 bands.

"Waller Communicator"

A 100-watt aircraft transmitter weighing 68 lbs. announced by Sperry.

SPERRY HAS CLAIMED TO BE THE NEW low in weight for a high-power transmitter. It is the first model of a series of transmitters developed in the Radio Laboratories of the Sperry School of Aeronautics at Tulsa, Oklahoma. Separate crystals on any desired shortwave frequencies are employed with remote control. The total weight of 62 lbs. includes radio and power source and antenna. The transmitter is claimed selectively from the rest of the ship by the pilot under local control. The 100-watt per cent modulation rate is claimed. Operation (transmit) is controlled directly from the cockpit.

Power source consists of United Airlines three-phase 115 volt, 60 cycle, 300 ampere-hour battery. The transmitter is built around the standard model of the new motor generator, while United developed its insulation in connection with the basic design. The power source is mounted on a separate chassis. The power source is connected directly from the rest of the ship by the pilot under local control. The 100-watt per cent modulation rate is claimed. Operation (transmit) is controlled directly from the cockpit.



Reception's Receiver Station

avoids high current with the power ordinarily required at any but the largest sites, but according to the announcement by the School, it falls within the requirements set up by the Federal Communications Commission.

Literature

Two references of interest to owners and operators of aircraft radio:

The publications by commercial organizations, but of essentially no value to the amateur, are "Location and Elimination of Radio Interference Differences in Aircraft Radio Receivers," a bulletin issued by the RCA Manufacturing Company, Camden, N. J., and available on request. The sources of interference, long-distance telephone lines, radio stations, other devices, as well as a survey of the shielding problem. The booklet is well worth the attention of everyone in the field. The second edition is "How to Get the Best Out of Your Aircraft Radio" by W. H. Lewis, General Manager of the Fazek Telecommunications Laboratories, 125 West 45th Street, New York, New York. Available on request. The discussion is divided into three sections: reception, transmitters and directional devices. The language used is simple and the discussion applies to all classes of equipment. It is recommended.



Pilot Radio Site Layout of United Airlines shows the finished model of the new motor generator, while United developed its insulation in connection with the basic design. The power source is mounted on a separate chassis. The power source is connected directly from the rest of the ship by the pilot under local control. The 100-watt per cent modulation rate is claimed. Operation (transmit) is controlled directly from the cockpit.

You Go To Work *inside* aviation AT BOEING SCHOOL

Great Aviation
School operated by
United Air Lines
gives Career Training

MEET THREE TYPICAL BOEING-TRAINED MEN



W. C. Miller, Boeing School graduate in 1939, now holds the job of Flight Manager, Honolulu, for United. W. C. Miller, a Boeing Island graduate in 1938, has been twice honored for his unusual contributions to the field of aeronautics. He was selected as the first recipient of the Boeing Foundation's \$1,000 scholarship for 1939. Miller is now a Flight Captain for United Air Lines. Boeing Island men are making progress in every field worldwide. Why not you? Come see us?

GRADUATIONS AND PLACEMENTS

BOEING SCHOOL RECORD
Dec. 1937—Nov. 1938

No. of
Month Graduates Place Employed
December 28 7 15

January 7 14 5

February 1 1 2

March 48 46 6

April 6 15 3

May 6 12 6

June 36 31 4

July 4 8 2

August 2 2 2

September 22 12 10

October 1 6 5

November 3 6 4

Total 384 311 28

Boeing School of Aeronautics

U. S. Standardized Approach—All Qualifications—Flight and Ground Flying, Ground Flying, Radio, Mechanics, Electrical, Heating, Fuel Systems, etc.

A division of UNITED AIR LINES

Boeing School of Aeronautics
Dept. 311, Airport,
Oakland, California

FREE 1939 BOEING
MAIL COUPON

Coupons Please mail me without charge, my free Boeing Catalogue. Return envelope enclosed. Address: _____ Name: _____

City: _____ State: _____ Zip: _____

CHICK PREFERENCE IN COURSES OR COURSES

<input type="checkbox"/> Aviation Mechanics	<input type="checkbox"/> Aviation Radio
<input type="checkbox"/> Aircraft Fuel and Lubricating Oil	<input type="checkbox"/> Primary and Solo Pilot
<input type="checkbox"/> Aviation Meteorology	<input type="checkbox"/> Licensed Commercial Pilot
<input type="checkbox"/> Aviation Operations	<input type="checkbox"/> Radiotelephone
<input type="checkbox"/> Aviation Pilots	<input type="checkbox"/> Radiotelephone Radio
<input type="checkbox"/> Aviation Mechanics and Operations	<input type="checkbox"/> Commercial Pilot
<input type="checkbox"/> Aviation Mechanics and Operations	<input type="checkbox"/> Commercial Pilot and Operators

Qualify for registration in any of the above courses. Check below

Name: _____

Address: _____

City: _____ State: _____ Zip: _____

Course I am requesting special training in _____

Qualify for registration in any of the above courses. Check below

Name: _____

Address: _____

City: _____ State: _____ Zip: _____

BUYER'S LOG BOOK

What's New in Accessories, Materials, Supplies, and Equipment



From Bell and Howell photo

Slip Joint

Coupe designs new expansion coupling sections for manifolds

The **Bryce Universal Expansion Manifold Joint** is a new development in exhaust manifolds designed to eliminate some of the troubles heretofore experienced with exhaust manifold installations. In its patented Bryce joint, a slip joint is used which permits a degree of movement as provided by flexible gas lines under all service conditions. This permits attaching the manifold direct to the engine mount and makes possible a simpler one-in-one-piece manifolds without slip joints. The gas-tight flanges and joints make possible more thorough purging when cleaning. The Bryce joint consists of two ball and socket joints in the individual exhaust pipe which connects the cylinder exhaust port to the manifold exhaust ring. Incorporated in each pipe is a conical seat type piston ring to act as a gas seal. Service access is a single opening on the Douglas DC-3 has ten slip joints instead of all four engines with the one universal joint manifold. Sender

manifolds with Bryce universal joints are being manufactured for the Lockheed bombers being built for Australia.—*Airnews*, March, 1939.

Oil Cleaner

Coupe high pressure filter for hydraulic oil

A **Coupe Auto-Kleen Filter** is now available specially designed for the aircraft hydraulic system. It is a pump employing hydraulic fluid to filter and cooling gear cleaning device. It is built so withstands a static maximum working pressure of 1000 lbs per square inch hydraulic, and is subjected to a wet pressure of 2000 lbs per sq in hydraulic. This filter is of the multiple disc type and is constructed of stainless steel. It is conveniently located with operating equivalent to 170 screen mesh. Coupling nuts are also available for installation on the suction side of the pump, or they may be built directly into the storage tank. They are designed for a maximum pressure drop of 1% per sq in.—*Airnews*, March, 1939.



Coupe hydraulic filter

AVIATION
March 1944

Safety Tank

Murco "Fuel Cell" vibration proof fuel containers

Patents have been issued to the Glenn L. Martin Company, Baltimore, covering new type fuel tank made of thin fabric impregnated with synthetic rubber. Subjected to an accelerated fatigue test which was devised to destroy any tank's resilience in less than 50 hours, the Murco vibration-proof fuel tanks were found to withstand 1000 cycles of vibration, and still remain intact after 700 hours of shaking, even though the supporting structure required regular visual inspection during testing. In the "fuel cell" type tank the need of two-right-hand tank necks is eliminated. Large bags of treated fabric are designed in the shape of resilient rectangular compartments to wrap around the tank necks. When the tank is mounted in the aircraft, the bags are inserted in the inner tank necks as an inner liner in addition to a tire coating. Instead of being cut to size, however, these bags are made slightly oversize, so that the fabric is never subjected to stretching or twisting. Also the Murco fuel cell eliminates the action of vibration elements in the fuel, as the amount of tank necks is reduced, and the fuel is held in a tank-size reservoir at ground plane but permitted the pilot to return to his base more than 100 miles away, due to the tendency of the bag to self-seal when full.—*Airnews*, March, 1939.



Murco fuel cell

Compass

New Pioneer instrument based on army model

A **MARSHALL FIELD COMPASS** designed for panel mounting and similar to the Army Corps Model B-17 is now offered by the Pioneer Instrument Company. The design of the compass shows the tendency to have smoother, truer north-south bearing or orientation accuracy. In order to produce exceptional stability and freedom from wobbling, bearing and orientation errors, the unit is mounted in a moderately large head and has successive rows damping three outer pivot bearings. The pointer mechanism is similar to that of 1800 model which has been popular with the military. These features reduce the oscillating and make the instrument very steady. The pivot is firmly fastened in the card and rests on a pivot mounting in a cushioned post to assure stability operation under adverse conditions. Adequate provision for liquid compensation is made for all conditions of temperature and pressure. Light beam is shielded. Pioneer Right-angle bulb projects through the top of the window illuminating the visible portion of the card and the index bar with no perceptible glare.—*Airnews*, March, 1939.



Marshall VRA Production Valve Seat Grinder

are offered. In these models the grinding wheel moves continuously during the dressing operation and continuously for grinding. In the wide range of tools offered by Hill is the Model 8H Circular Valve Shop which constitutes a selection of service equipment mounted on a cabinet on wheels.—*Airnews*, March, 1939.



Hill Model 8H Circular

Hull Eccentric Grinder
Wide variety of production and service equipment is offered

Among the many tools including the eccentric grinder, the company made by the Hull Manufacturing Company in the Model VPA Vertical Type Production Grinder for valve seats which is used by many engine manufacturers here and abroad. For limited production or service work, the Model EJA is offered. Several other types

power portable storage battery lamp the U.C. Lite is used to drive a lamp more than a half mile and will burn continuously for 40 hours. An incandescent bulb, 100 watts, and the light will burn for 60 hours at a reduced air speed.—*Airnews*, March, 1939.

"Aero Thread" Screw

Spring wound insert provides Sealing For Screw in Light Alloy

A SPRING WOUND INSERT of bronze spring wire fitted into a tapped hole in the aluminum casting of the **Aero Thread** fastener just introduced by **Kearny Associates, Inc.** When screwed into place the insert becomes a part of the tapped hole and furnishes a bearing in the softer metal for the screw thread. (Photo by J. F. Jones)



"The Hornet"

Black & Decker announces a new model drill

A **BLACK & DECKER DRILL** known as "The Hornet" has been developed by Black & Decker Mfg. Company, of Towson, Maryland. Of 3/8" capacity, the new drill has a spoked gear assembly, but brings together all the parts, angle for new grip of wrench, and a universal motor with an operating speed of 3700 rpm or an optional speed of 5500 rpm at no extra cost. Total weight is only 24 ounces despite the fact that it is intended for continuous production work for aircraft and light industrial jobs.—*Airnews*, March, 1939.



New "Aero Thread" insert is used

AVIATION
March 1944
47



THE WORLD'S MOST MODERN TRANSPORTATION

On a nonstop business flight recently in a SPARTAN Executive, the 1,200 miles between Tulsa and Washington were flown in 4 hours and 40 minutes.

An airplane now you cannot afford to ignore; the transoceanic passage to Europe is easier and more particularly the SPARTAN Executive from Tulsa provides

A typical afternoon's long distance flight and the economy of your future in a direct nonstop flight may very soon make the Spartan Executive the most popular way to travel. The SPARTAN Executives that come afterwards will not just fit in; they are well designed and if necessary before even the next day you will be back at your desk — back in the world of to-

day's most profitable today when you need the easiest way — is SPARTAN Executive.

The Spartan will sell close to your heart, work well close to your heart, and you will have a new reason to travel in business comfort. The SPARTAN Executive is this complete with which no other can compare, and the cost of your ticket is necessary to a plane cost comparable to it.

**BUSINESS LEADERS
THE WORLD OVER
FLY THE
SPARTAN Executive**

CONSTRUCTION—of All-Metal, in a sturdy thin frame, strong enough without to add weight and federal construction.

BEAUTY—controlled by a smooth, rounded, flowing lines, and a finish of polished aluminum.

PERFORMANCE—at equal climb, short landing distance with safety features planned by SPARTAN.

SPEED—speed is over 200 mph, early travel times to measure with the fast planes, easily maneuverable at five hours.

ECONOMY—of operation.



TOMORROW'S AIR TRANSPORTATION TODAY

SPARTAN AIRCRAFT COMPANY
MANUFACTURERS OF SPARTAN ALL-METAL COMMERCIAL EXECUTIVE
MILITARY CONSTRUCTION TWIN AND MILITARY AIRCRAFT
TULSA, OKLAHOMA

THE AVIATION

NEWS

REVIEW COMMENT FORECAST

DAVID SATRE
G. F. McHugh's Profile Guest
Bruce Stellfield Washington
E. R. Lakin War Talk

MARCH 1939

Export Issue Agitates Washington

(Story on page 30)



BOMBERS FOR BRITAIN. First of the 200 Lancasters bombers for the RAF being assembled at the assembly base of New York Plant Reserve Field at Long Island have been received and are being prepared against invasion.



TRAINERS FOR BRITAIN. First of the first set of 200 North American "Harvards" trainers is given the name given. The name given by RAF pilots at Greenham, England. A second lot of 800 has just been delivered by the British Air Ministry.

FIGHTERS FOR FRANCE. Captain Wright test pilot, Lloyd Childs about to give one of the French fighters a trial run. He has been given the name of touring this particular machine he recorded a 400 mile an hour terminal velocity dive.



TRANSOCEANIC FLIGHT. While the first Boeing Clipper was being put through its paces, variants I and 3 caught up and here they are all ready to fly over oceans in the service of Pan American Airways.

Armaments Argument

Will export sales detract our own rearmament program?—agitates official Westinghouse.

Biggest story of the month, aviation-wise, centered about the problem of whether it was a fellow named Elmer who had set on the bank of a branch that had drained, or whether it was a Rockwell Champlin, a member of the French Aviation Mission to the United States. When it was discovered that Elmer was not home at the time of the accident, Mr. Champlin identified himself as a representative of the French government, who, he said,

back and forth to offend Washington at what a P-51 mission was doing around the last week of one of our latest bombing campaigns. It was a very delicate situation because it was a highly sensitive issue that pertained to make the flight but some info from the War Department, but through Treasury complaints. A good many pieces of testimony have been submitted to Congress by the Treasury which has been in the Senate, including people to clarify the matter in

the needs of the public. Apparently the longest deliberation of opinion in the Senate was over the question of who were holding those last offers to buy French assets of a rail road, and the Senate finally decided that it should not hear about the question of who should sell some of our best machine tools to France. The Senate also voted to prohibit the sale of our gun factories or gun deliveries of our machine tools for our own army under any expansion program.

As we go to press there seems to be some answer yet to that question. Obviously it will take a good many months to get the new administration to get settled, placed for our own use. In the meantime, the administration has been asked to do all it can to help if we can not get our former administration to many of our former export purposes, with orders that can

and 1940 (and at the rate of \$12,000,000 a year thereafter) "to found and maintain manufacturing establishments with the production of munitions of war or aircraft, or torpedoes, guns, armaments, or similar." The last provision, of course, gives more territory than the government has at the present time. Funds also are provided under the Bay Bill to cover the Civil Aviation Authority's pilot training program.

sufficient, perhaps, to put into mind all the anxiety at the moment, the fact that the vote on the May bill was 307 to 37.

As the Air Corps bill passed the Senate, it was understood that the Naval Affairs Committee had reluctantly agreed to the bill as a compromise. However, the Senate failed to consent and adjourned instead. The committee had voted 34 to 14 to leave in the bill the Navy Department's recommendation of \$4,000,000 for improving the harbor at Guam to make it more suitable for large ships. That paragraph soon had disappeared from the bill. Consideration of the bill was suspended after the Japanese government had reinstated the institution of further military expenses on Guam. But later (Feb. 15) the Senate approved the Guam provisions in the Navy bill by a vote of 265 to 184.

United Front

Local Chamber Rungsessions
West Coast disasters keep
in solid.

THE AERONAUTICAL CHAMBER OF COMMERCE OF AMERICA will hold its regular annual meeting at January 20 and come out with a new slate and make some big decisions. It is certain

of last-minute nominees before the meeting, Langton W. Eggers will remain on as a candidate for re-election to the presidency and was succeeded by Colonel John H. Joson. With Col. Joson was elected a new slate of officers, including Robert Glass, president of Northeast Aircraft Corp., as vice-president; W. T. Piper, president of Piper Aircraft Co., as vice-president; G. C. Taylor, president of Taylor Young Aeroplane Co., as secretary; and Frank J. Walsh as treasurer.

AVIATION
IN WASHINGTON

CAA job fakes. Nearly finished with the mechanics of C & N, which were delayed by intense resistance to trans-Canada air routes rules, getting well along with the new legislation, the CAA will next year begin doing its formalities of base rate policy on all cargo. Pilot training, which was originally on CAA in the management aspect of the program, has been moved entirely to the head of the job, but, interestingly, but actually CAA will attempt to write the \$15,000,000 training bill.

Airport revenue is about three times what will cover a sole job at CAA, so the CAA will have to be considerably augmented, first, planning the new terminal, then, planning the

Program — Because of CAA's policy against foreign subsidies, no new planes may be brought from the U.S. to Greville Park airport, new bases for CAA, with clandestine and shadowy titles, are籌劃ing.

Immune and impudent editor — In a recent column, Mr. John W. Warner, our erstwhile *PEEL*, Ed Warren, former editor of *Aviation News*, has announced acceptance of Sherp, Inc., as the title of his newspaper. I am sure that Mr. W. doesn't know what he does, and neither does Mr. Warner. By gollywoggles, though, people will be able to buy him a good support service, and look out! It is bound to happen again on some other foolish foundation to be switched to another paper. The *PEEL* is the best and longest standing newspaper in the country.

Expenses on air trips — are not all travel and meals. CAA officials always ask us whether a variety of potential expenses are included at hypothesized rates. We are told that we are to consider expenses often ridiculous. British Express Agency and air trustees are both guilty of this. They are not the only ones, however. Last year in the monthly pub of *Aviation Week* a "make-up" speech by Mr. Alexander, our first CAA to tour on *PEEL* in France, was delivered. He said that the day when he thought CAA would be in the air of mid-December if it didn't study expenses, when he had to pay his own expenses, he would make up the bill, here or there. CAA's Pele Ratti is temporary, and any time expenses seem being ignored at present, because, among many reasons, would be the following:

Who put Hump Day together again? If the War Department did not pull a war for representatives of the American Chamber of Commerce, it would not have been pulled off. When our Mr. Hull heard that Russia

Ground airport impact was sent to Congress on February 1 under the Rating理事會的“preliminary” report. It was well-received but a year-and-a-half of dogged negotiations between the CA and the US House of Representatives, the deal was submitted because the new signs as it. The real thing is promised for March 25. It had to be rescheduled because the learned guidelines were not available in time, too many weights and not enough funds were available. Likewise a few minor alterations





**"SAY, DAD,
LEWIS HOLY
HAS A WONDERFUL 4 YEAR COURSE**

"LOOK AT
THESE PICTURES
ME SENT... AS LONG
AS I AM GOING TO
STUDY AERONAUTICS
... LET'S INVESTIGATE
THIS SCHOOL."

This school is open to graduates of approved high schools—boys whose scholastic standing is in the top quarter of their class. These students, preferably, should have majored in mathematics and the sciences; those who have not done so can take these studies on the first year with the freshman-aeronautical college subjects. This school has been in operation for some years and is only open to boys who qualified after extensive rigid entrance tests and who maintained a rigid academic standard. Now this school is open to boys of all faiths who wish to work hard to qualify for a lasting future through these strict standards.

The course is run on a four-year basis, summers included. Students enter in June or September and graduate in September or June four years later. This means that the student attends school in the summer as well as in the winter, having four weeks throughout each 13-month period devoted to vacation.

NON-SECTARIAN

The school at under the present direction of Bishop Remond a small military bishop of Change and Irvin of the notoriously Catholic York Corporation of which he is called a "sheik". However the school is open to boys of all creeds and denominations—*i.e.* it is strictly NON-SECTARIAN—whatever facilities are provided the Board who run it afford. Again we emphasize very strong attention to the moral atmosphere of the school plus our attempt to maintain strictly honest like surroundings.



九月刊 2024

BUDDY WRITES THAT THE NAME SCHOOL OF AERONAUTICS AND ALL OF THE STUDENTS SAY IT'S AN IDEAL PLACE FOR ANY FELLOW!"



A *conservação* consiste em proteger o patrimônio, e é feita por um comitê criado dentro de cada entidade que possui cultura local. A conservação pode ser feita através da preservação de bens culturais ou como a criação de ambientes de apoio ao seu crescimento.

Este é o maior e mais antigo clã da América do Sul.

Based on the above data it can be seen that the number of deaths per 1000 live births is more than 1000 in all three countries except India.



the "Liberator" of Venezuela, the first
and most popular of the South American
revolutionaries.

Worries of investors. The difficulties have had the effect of curbing the market's enthusiasm for equities.

The country has made great progress in
recent years, and now stands as one of
the most advanced countries in the world.

The cause deemed to be the major operational engineering concern requires a series of 4500 class hours which is approximately 300 hours in excess of the ordinary training required for engineers.

Before you decide on a school to study at, consider the Loyola High School. Mr. Feltner will give you his opinion about it. He has a large class of students who have graduated from the Loyola High School. You will find this to be a good school.

The accomplished curriculum leads to a Bachelor of Science degree in accountancy and engineering. Highly qualified and well educated personnel of business firms from the Civil Engineering Academy and all other educational institutions will receive training and experience through their theoretical and practical studies. Graduation from this school is a guarantee assurance that the student is fully equipped to enter the modern field and measure up to the qualifications demanded by the modern practice.

your boy spending the many off hours at Assisted Living facilities planning and being a wise person because one is worth many dollars. We are closer to making a place for your boy. The simple



UNIVERSITY GRANT COMMISSION APPROVED

1

卷之二

10



IT USED TO BE A QUESTION
OF GUTS

But every long-time aviator will tell you that arthritis can't be cured by a diet of oil and grease. The answer was a liberal application of top gear—oiler. But, if that's all you've got, you'd better add a cold one now, the which stops bearing.

Today **AILERON ARTHRITIS** *Is Cured In The Blue Print Stage!*



These set the date of broken over-brown in aircraft operation—and drugs! The blue-print shown, straight from the manufacturing department of one of America's leading manufacturers, shows how Fafnir planning and development in aircraft ball bearings is reaping a harvest of useful bearing specifications—lessoned in the blue-prints as they're drawn!

The engineers who laid out this aileron ball track knew their ailerons. Boston does too—without play—won't be built now or ever again. Two Fafnir K-6 ball bearings support the ball track on its shaft. A third Fafnir—K-6—

joins the aileron push-pull rod to the ball track, a self-aligning bearing, because the axis of the ball track and the hinge axis of the aileron are not parallel.

Take advantage of Fafnir development in aircraft ball bearing design; in axle and shaft and gear lubricants; in engine; friction use of control systems; repairs and redesigns while they're in the blue-print stage! "Fafnir based on your blue-prints, assures you the benefits of the former aircraft line, and the experience of Fafnir's research and engineering department." "The aircraft producer" The Fafnir Bearing Company, New Haven, Connecticut

FAFNIR Ball Bearings

THE BALANCED LINE • MOST COMPLETE IN AMERICA

AIRCRAFT
March 1948
13

is being utilized because of a new legal decision. American Cyanamid has recently gained rights to shareholders of record as of December 21, enabling them to subscribe to new \$1 per share in the state of stock at \$20 per share on the basis of the number of shares outstanding. The current issue will never 75,000 additional shares, leaving the total outstanding to 310,000 shares of the \$100 par value stock. Presently, the stock is approximately \$120.00, well below the price replacement, equipment and materials.

IN REINHOLD AIRCRAFT CORP. For 1938, net income of \$24,480, equal to 22 cents a share on the 11 million common shares outstanding. Capital stock \$10,000,000, or 26 cents a share on 383,000. Net sales \$1,040,000, equivalent to 35 cents.

IN RIEWERTH AIRCRAFTATION CORP. disclosed a dividend of 10 cents a share on the record date, payable June 10.

IN CESSNA AIRCRAFT CO. For 11 months ending May 31, 1948, net profit of \$3,200. For year ending Dec. 31, 1938, net profit of \$1,200, equivalent to 26 cents a share on 4,600. Net sales \$1,700,000, equivalent to 35 cents.

IN HAWKLAND AIRCRAFT CO. For year ending Sept. 30, 1948, net profit of \$10,813, compared with \$15,534 in preceding year.

IN Lippincott AIR CRAFT CO. and Subsidiaries. For year ending Dec. 31, 1948, net profit of \$100,000, equivalent to 40 cents each on 250,000 capital shares; equivalent \$10,000 or \$1.41 a share for preceding year.

IN MATHERSON AIRCRAFT CORP. as of Dec. 31, 1948, beginning of year was \$13,48 a share on 477,254 shares of capital stock, equivalent \$35.00 a share on Dec. 31, 1947.

IN T-75 AIRCRAFT CORP. For period ended Nov. 24, 1947, to Dec. 31, 1948, net income of \$14,620. Current assets as of Sept. 30, 1948, \$14,547.40, liabilities, \$14,548. Company sold 11,000 shares of non-voting preferred stock, and 1,000 shares of common stock, receiving no proceeds, \$11,000.

IN ROSENSTEIN FIELD INC. For year ending Dec. 31, 1948, net income of \$107, equivalent net income of \$0.07 per share on 1,500,000 shares of capital stock held by 1,000 stockholders. Current assets as of Dec. 31, 1948, \$1,200 shares of \$1 per outstanding \$1,200 shares held by Rosensteiner.

IN MILAN AIRCRAFT CO. used a dividend of 5 cents a share on 14,112 par common capital stock on Jan. 28, 1948.

IN TAYLOR-YOUNG AIRPLANE CORP. For year ending Dec. 31, 1948, net profit of \$447 against a net loss of \$46,019 for 1947. Repaid treasury shares of 1 cent per share on 113,261 shares outstanding.

AIR TRANSPORT AVIATION

BY RALPH SAYRE



New routes planned by Braniff Airways.

Application has been made for 5,000 miles of new routes, all located in the central and western areas. Added to Braniff's present 2,711 miles makes a total of 7,711 miles, giving an average of 4,200. It is hoped they have the greatest route mileage of any airline in the United States.

Per cent passenger increase for Cessna & Southern during 1948. Each

month's results during 1948 exceed

the previous month's results. The traffic increase over the previous six months' expectations of a better year than 1947, Cessna is now registering

AIR TRANSPORT INDICATOR

February 1, 1949

127,09

Which is the ratio of the revenue passenger miles recorded by the Air Transport Association as carried by air domestic civilian aircraft during January 1949 to the corresponding figure for January 1948.

The year got off to a good start with a total for January of 34,487,270 passenger miles as compared with 25,158,000 for January, 1948.

Baltimore Express Agency reports that shipments for the month were \$10,000,000, or 22 per cent increase over December, 1948.

Walking A. Rogers has been appointed



Douglas takes shape. In the St. Louis facility of the Douglas company, their latest transport is being assembled.

AIRCRAFT
March 1948
17

activities of the Air Express Division of Railway Express Agency. For the past four years he has served in the Commercial Division of the agency in New York as a supervisor on an experimental basis. He was a member of the United States Naval Air Service during the war and served as pilot in the English Channel Patrol. He now retains the rank of Lieutenant Commander of a flight, the command of the United States Naval Aviation Reserve.

Five new directors for TWA. The announcement was made by T. B. Wilson, chairman of the board. They stand high in national business circles and represent the East, Middle-West, and West, and are A. R. Smith, St. Louis; W. S. Bates, Atlanta; W. C. Krouse and John Morris, Jr., New York City, and Leland Hayward, Hollywood, Calif. Roland Parsons has resigned from the TWA Board because of pressure of other work.

Air Mail and a half million dollars are to be spent on passenger station construction projects along the TWA airway. The \$15-million administration building at San Francisco airport is given first priority to because it is intended to be the terminal for all flights to the Pacific Coast. The second largest will be built at New York's new North Beach Municipal Airport, adjacent to the World's Fair Grounds, will house an administration building to cost \$1.75M.

Under a new rating of the Standard American Airlines, certificates of airworthiness may now be issued on all passengers regardless of age, eliminating the previous age limitation of fifteen to twenty-one. Associated Airlines' Underwriting also states that two new standard aircraft passenger insurance bill and liability have been especially prepared to meet the requirements of today's aviation market. The new policies are written on a noncancelable basis for the benefit of the lessees, since usual restrictions have been eliminated.



ARMY'S LATEST: First photograph of the Lockheed XP-38 which nearly broke the transoceanic speed record, then crashed at Muroc Field. Pilot was Capt. Ted. Keeler.

MILITARY AVIATION

The

Disputed Flying Circus has been presented to Major Eddie Hartman by Captain E. F. "Pete" M. Armstrong, commanding officer of the GHQ Air Force, in recognition of his flight with a crew of eleven men in a B-17 to China's mainland zone with mutual supplies weighing 10,000 pounds.

The fliers left Langley Field, Virginia, on February 4 and landed at Santiago, China, on Feb. 13. February 6.

Total elapsed time—28 hrs. 18 min.
Total flying time—22 hrs. 13 min.
Total distance—4,232 miles.
Average speed—285 miles per hour.

An Army press release was received last month which stated holding Standard Boeing's transoceanic record. The story, however, said R. E. Kelley, was a lie. Kelley had been told he would be given a citation. In closed form, General Edward G. Kremer, Kelley's 27 minutes 13 seconds to Hong Kong. However, he brought back a letter from Kelley's superior, the Commandant of the Air Materiel Command, which stated that Kelley's performance was "not particularly outstanding." Furthermore, Kelley was only slightly surprised at the accolade.

The story was being spread and for that reason the results of the survey were not put into the public domain until after the record had been broken and no media publicity. Nevertheless, from Kelley's statement it was possible to learn that Kelley's approach to Muroc Field after landing was somewhat unusual. He taxied the plane to the shoulder of the runway, turned the engine off, stepped out, and took a look around. Then he taxied the plane to the end of the field, but the left engine would not stop. It appeared as though the right engine turned the ship so sharply to the left that Kelley was forced to turn the plane to the right to regain control, the landing gear struck a wire and the plane crashed in a sand pit.

Gulfstream was low bidder on a recent Air Corps request for two liaison aircraft. The contract, worth \$1,000,000, was awarded at Wright Field, Dayton, Ohio, measured miles from those same distances. On the maximum proposed schedule, 3,000 planes, Gulfstream Airplane had \$20,200,000 in contracts, \$10,215,000 in delivered aircraft.

Prospective bidders in the construction of a \$5,000,000 Army storage house at Fort Monmouth, N. J., will be invited March 10.

Total elapsed time—22 hrs. 13 min.

Total distance—4,232 miles.

Average speed—285 miles per hour.

Biplane planes were destroyed on a return to the flight of twelve ships on February 29. Two pilots, Louis B. F. Preiss, 30, a Brazilian Navy officer, received regular training at Pensacola, and S. H. Ongoren, were killed when the planes were hit by parachute jumps. The flight consisted of twelve aircraft, nine single seat ships with advanced student ratings in them. Fourteen and one-half hours of flying time were accumulated. One student pilot was slightly injured in the crash.

The ship was flying west and for that reason the results of the survey were not put into the public domain until after the record had been broken and no media publicity. Nevertheless, from Kelley's statement it was possible to learn that Kelley's approach to Muroc Field after landing was somewhat unusual. He taxied the plane to the shoulder of the runway, turned the engine off, stepped out, and took a look around. Then he taxied the plane to the end of the field, but the left engine would not stop. It appeared as though the right engine turned the ship so sharply to the left that Kelley was forced to turn the plane to the right to regain control, the landing gear struck a wire and the plane crashed in a sand pit.

In 1939
the FAIRCHILD 24
more than ever before is the
logical choice of the
private owner



We don't mind a new
kind of flying if the safety
of the passengers is not
compromised. That's why
we've designed the
Fairchild 24 to give you
greater safety and more
comfort.

Definitely—a much finer airplane at an increased price. Hydrolic brakes are standard equipment—instantly responsive to pedal pressure and requiring only 1/3 as much effort as mechanical brakes. A stretch-tail wheel makes taking off in cross winds as easy as steering a lorgue, but is automatically full ruddering for sport turns and high-speed landing. Seats are scientifically engineered for complete relaxation in specially woven Fairchild specifies fabric. Plexiglas or Safety Glass door windows are optional. Inside air is designed to harmonize with cabin appointments. Scores of added details have been added or refined to make the Fairchild 24 the biggest sales plane ever made in America.

The Ranger engine mount has been redesigned—in size, without exception for smooth engine vibrations on the market—a revelation to anyone who has never experienced the amply relaxed pleasure of riding behind a Ranger.

FAIRCHILD
AIRCRAFT CORPORATION
Hagerstown
Maryland



Honor's Night

Lester Gardner Scores Again with Brilliant Annual Aeromarine Dinner

AT DINNER IN THE CAFE OF White Way Inn, the Aeromarine Association of America held its New York City annual dinner on the evening of June 27 to attend the grand finale of the three day annual meeting of the Institute of the Aeronautical Sciences. The theme was "Honor's Night Banquet." Between them, T. E. Wright, retiring president, and Dr. George W. Lewis, his successor, skippered the convivialities. High spots were the presentation of the Albert D. Award for 1938 to Professor A. V. deacon of R.I.T., and the Lawrence Sperry Award to Colonel G. Nomura of the Bell Telephone Laboratories. Honorary members of the Institute were Maj. Gen. H. R. Arnold, Edward J. Nidle, Dr. Lynnon J. Steggs, Rear Admiral Arthur H. Cook, and Lt. Commander F. W. Rosenthal.

Two newly elected Fellows of the Institute were presented, including Henry A. Barber, W. G. Brundage, C. G. Brueggemann, L. G. Clegg, Dr. C. G. Clark, W. E. Gandy, Dr. Elmer D. Reid, Elmer A. Spratt, Dr. Edward P. Taylor and John E. Younger.

Honorary fellowships went to George S. Head and D. R. Pye.

Fay Joins Directorate

Donald L. Brown, president of United Aircraft Corporation, announced the election of Bryan C. Fay, past president of the Chrysler Corporation and general manager of the aircraft division, to the Board of Directors of United Aircraft. Other members of the Board are President D. Brewster, chairman; Donald L. Brown, Eugene E. Donnell, James E. Doolittle, Frank P. McCormick, Ralph Walker, W. Clark L. Carlton Ward, Jr., Peter M. Fischer, William B. Mayo, Edward G. McNamee, and Harry C. Stoddard.

Named Ass't. to President

P. B. Harriman, chairman of the Cleveland Steel Co. announced that H. E. Christie, who has long been identified with the company and the specialty steel industry, has been named assistant to another who has become associated to the president, R. E. Devereux.

A.A.A. Elections

MANUFACTURERS' AIRCRAFT ASSOCIATION, which administered the other four major awards, for the airplane manufacturing industry in America, has elected General S. Bradley as chairman of the board, Frank W. Russell, president, and John S. Sibley as general manager. Joseph T. Harton is secretary and James F. Morris is treasurer.

Vice presidents are E. E. Wilson, K. M. Gray, W. E. Wild, J. M. Rogers. The above officers were also elected to the new board of directors as were W. H. Bush, C. F. Bradner, L. S. Greenman, and Z. M. Knoblauch.

AVIATION ABROAD

Four new Imperial Airways Flying boats have been acquired for the North Atlantic. They are the "Cobra," "Centaur," "Conqueror," and "Cyclone."

These will be the first seaplane fleet to cross the Atlantic in the course of regular transatlantic service. In addition they will accommodate a number of passengers suggested by the 1930 survey. Among these is a transatlantic, returnable service, which will be available to those who desire to fly across the ocean. The Cyclone is the largest flying boat ever built, and is designed for transatlantic flights. About eighty passengers are said to be able to travel in comfort, though longer flights will require more passengers than the Cyclone can accommodate. About eighty passengers are said to be able to travel in comfort, though longer flights will require more passengers than the Cyclone can accommodate. About eighty passengers are said to be able to travel in comfort, though longer flights will require more passengers than the Cyclone can accommodate. About eighty passengers are said to be able to travel in comfort, though longer flights will require more passengers than the Cyclone can accommodate.

Prudhoe Bay base has returned to Los Angeles-Fairbanks Airlines. It has been closed since the opening only two days ago when they were confronted with the problem of getting their service following an accident in which the landing gear collapsed at Prudhoe Bay. The company has now decided to retain the plane to serve the area, and is returning the ship to service after the accident was due to the "overhead" of the aircraft's surface, not to a mechanical defect.

Two Northolt military aerobatic teams were carried to and from Europe during 1938, according to the latest news from the Ministry of War and the Royal Air Force. The most popular flight month was August when 343 were carried.

The England-Cape Town record has been set by 31 hours. Although 30 with malaria and flooding took a cut on the record, the record was broken by 1 hour.

Flight over Germany was undertaken February 24 by Germany's best known aviator, Hermann Göring, who completed all records for the flight from England to Cape Town, from Cape Town to England, and for the round trip from England to Germany. The 1400 miles en route, he had to land twice from his plane. His total elapsed time was four days, six hours, and sixteen minutes.

Flight over Sweden was made by the King of Sweden last week. He was the King's Cup last year.

Air France carried 100,000 passengers of the year on December 31st. It was also the 2nd. In December of London. She was invited to return to Paris on January 1st for an "air party" given



AIR FIGHTER: Short Sunderland (4 British Program XXIIa) for the Royal Air Force

AVIATION'S OPERATORS CORNER

Tagging the Boxes with

LES NEVILLE



Everyone is talking about flight training these days and the experimental federal program to develop a national flight training program selected for it by the CAA. MIT will take off on its pilot training program in the near future and details have just been announced by

Colonel G. L. Parks, director of the Massachusetts Air Academy, Boston. The academy, which has been accredited by the CAA, will choose the 200 of those who are to receive instruction in flight training. The 200 will be given at the college and flight instruction under CAA supervision by a local fixed base operator. The program will be in the form of a one year course for each of their family members. Prof. Edward H. Strain, professor, and Professors Charles E. Wilkins and Otto C. Kappes, several courses will include oral or written examinations.

Flight work consists of 4 hours dual and 27 hours of solo observation and solo flying during which the student will by one means have the rank of second class pilot. Parks has recruited in sophomore, junior, senior, and graduate students whose scholastic records entitle them fully to hold this rank. To their present students from the CAA, physical examination and personal personnel are among requirements. Expenses to students in a normal course for personal expenses. In the fall, the Parks will make plans to enter the three divisions of the Massachusetts School at N.Y.U. and will fit student training for the remainder of 1939. The new house added recently to the school will accommodate a 20 train index of MIT. As we go to press no official release has been made regarding the third base operator who have been in the same field for some time. We are sure, however, that at least one is already at work. Why the secrecy?

Officer Parks has stepped out and now heads up another school which was incorporated last month under the name Alabama Institute of Aeronautics at the Tuscaloosa, Ala., airport. Aerial, ground, and engine mechanics, operations rights for eight planes with a 125-passenger option. Parks will serve as the president of the CAA, and the Board of Directors of the Society and officials of the University of Alabama, control of the 22 colleges selected for the CAA training program. Vice President Walter P. Thorpe of A. A. U. will be the vice president. Two Vice Presidents, a Finance Director, and a Student Janitor are used.



G. L. PARKS heads Alabama Institute

K.A.A. wants to teach them passenger trains 10 and devoted a large part of the year to the development of a plan to encourage instruction of aided children of tender age in model making, gliding, as a popular part of the program other work, M. A. Johnson, president of the group, says. They have local boards of education and in other communities will work through established organizations. By this method some 100,000 children will be taught primary aviation safety.

Kynclington is on the job early in each month with measurement of the data of the 1000 aircraft used in Central Europe. In 1938, he put in 1000 hours and now last year and we are sure on an even better one in 1939.

Ross Flying in Tasmania ended the first year with a brilliant record of accomplishments and State Governor Walter Williams is to be congratulated



3 OUT OF 30 Managers
E. E. Elias of Shoshone surveys the three stages of the new plant. At left is Mr. McMillan Hargan. Mr. Elias credits the spending of \$1,000,000 worth of capital to the construction of airplanes in the longer to the quick action of the Roosevelt administration. The new plant will be the largest aircraft production plant in the country.



DIRECTION AND CHAMPIONS: Left to right: Franklin Nease, Dale Chappell (President); Louis Hulbert (Vice-President); Major Walter Williams; Louise Corwin (Secretary); Irene Bellone (Treasurer). City).

an excellent work. Of the 2000 persons invited to the annual schools, 1700 students from each of the five schools at Memphis, Chehalis, Johnson City, Kinston, and Shreveport, were selected for flight training, and 1700 more for ground school. Pilots' Committees, the record shows, are assisting in 350 hours of flying and a cost of \$100 per hour for maintenance which has kept the ship production at a minimum.

One man and one woman from each school was selected champion and sent on an air tour in Memphis to determine which team would receive the state championship. Memphis also has the honor with six champions. Miss Pauline Norme and W. G. Colford, Classes Ica 2020 are already under way with a record of 100 hours each, and a large number of students will receive the advantages of flight training.

Attempts to close Southern Airways have continued and during early February the city attorney of Los Angeles opened his office in the room of Japanese Judge Yui Eikichi because that judge had issued a writ of habeas corpus to release him from confinement for the airport. As we go to press the legal physicians are still trying this, and last and no decisions have been rendered in this very important matter.

Pilots who want to open new airports can get information from the De Valois Company in Toledo which starts March 16, April 17, May 11, and June 5. Special rates in local hotels and boarding houses are available to students.

Egyptian graduates of the Massachusetts High School of Aviation train British to communicate addresses by Morse code. First, the English are dropped down to the level of the natives. Then, their native language is learned, and last, their desire for field service will eliminate the dust, and that the native, as actually tested by a skilled master, is less than that of the English housewife. The Egyptian, however, does not have the same desire, and observes certain maxims. Awareness of timers by private experts operates throughout the country, and the result is that only the novice's desire, which should be avoided when near 90 to 50 grams.

Massachusetts wants no aviation ban and a bill has been filed in the legislature to prevent for the revision. The committee which would reorganize all existing state bodies that supervises aeronautical activities and facilities, says that the bill is the result of the failure of all existing departments which might act in promoting aviation. Instead, Dr. Karl T. Compton of

J. A. McDonald, chairman of the Aeronautic Educational Committee, Col. Charles W. Kammel and Major Frank J. Mallory.

A date of 30 have started the eight-week course in Air Traffic work given by Mr. E. Smith at his New York office. Classes are held in the evening and the students are given lectures, lectures by our first officials, visits to airports and airmen offices, and, in addition, advertising training. Practical experience in dealing with the public is also available to students.

SEEE for airmen can be tested on the new course which recently canceled at the Young School at Oakland, California. Other equipment addition include a new hydraulic universal testing machine for the materials testing laboratory, a new aircraft model, and a new projector. A continuing course for radio operators has been held recently in the radio shop. From these students have an opportunity to acquire experience in the U.S.A. radio room at the Oakland Terminal.

THE REPORT CARD

61 Air School Developments



BROADCASTER Sam McLean who teaches aviation by short wave radio.



NEW DIRECTION: General Manager G. O. Neville (right) is now director of training for Eastern Airlines. Executive Vice President H. E. Sherman (left)

RCA Announces New 

Lightweight AVIATION EQUIPMENT

AVT-15 Aircraft Transmitter



Here's news that's good news! An RCA Aircraft Transmitter that's small in size, light in weight—and big in performance.

The AVT-15 is a compact single stage transmitter that comes to you complete with all accessories from microphone to antenna system. Listed at right are just a few of the reasons why you will agree that the AVT-15 is the outstanding radio value of the year.

AVT-15 Aircraft Transmitter and All 5000-Radio Control Unit

FEATURES

• A vacuum sealed transmitter section off its own power supply. The AVT-15 is unique in that all power is supplied through the antenna system rather than through the transmitter itself.

• Frequency range 3,000 to 30,000 cycles. The 30,000 cycle range is made possible by means of a variable frequency oscillator which is modulated by the carrier signal.

• The modulated weight includes the transmitter, receiver, antenna system, and power supply.

• The transmitter is designed in such a manner that it can be mounted in the fuselage of any aircraft. The transmitter and receiver are completely housed in a single unit. The transmitter is completely shielded, internally shielded, and mounted in a ruggedized case.

• The transmitter is built in a ruggedized case.

• The transmitter is built in a ruggedized case.

• The transmitter is built in a ruggedized case.

• The transmitter is built in a ruggedized case.

• The transmitter is built in a ruggedized case.

• The transmitter is built in a ruggedized case.

• The transmitter is built in a ruggedized case.

• The transmitter is built in a ruggedized case.

• The transmitter is built in a ruggedized case.

• The transmitter is built in a ruggedized case.

• The transmitter is built in a ruggedized case.

• The transmitter is built in a ruggedized case.

• The transmitter is built in a ruggedized case.

America Flies with RCA

on the Wings of Safety


AVIATION RADIO
Sales and Service
Your friendly men of your approved
Authorized Aviation Radio Service

RCA for Aviation Radio

RCA Manufacturing Co., Inc., Camden, N. J. • A Division of the Radio Corp. of America
Radio Corp. of America, the Radio Corp. of America Logo, and the "RCA" Design are registered trademarks of the Radio Corp. of America.

Radio Corp. of America, the Radio Corp. of America Logo, and the "RCA" Design are registered trademarks of the Radio Corp. of America.



Two Great New

A NEW AND FINE STINSON . . . THE 1939 "RELIANT" WITH MORE SPEED—MORE PAYLOAD—25 NEW IMPROVEMENTS!

Now Stinson offers a new and finer "Reliant"! Incorporating all the famous features which have won such tremendous preference among sportmen, businessmen, government agencies and airlines.

One of the finest endorsements ever given any plane is the selection by the major airlines of the country of Stinson's "Reliants" for flight-training instruction and executive use. Airlines are best qualified by experience to select the best airplane.

The 1939 "Reliant" retains all the proved Stinson advantages—PLUS 25 definite new exclusive features.

Bolder choice of power plants—new 290 HP and 300 HP Lycoming and 450 HP Wright Motors in addition to engines previously offered. A few of the many other im-

provements: addition of speed; additional payload; re-styled interiors and exteriors establishing a more beautiful style trend; new Finger-Tip control; large luggage compartment; retractable cabin entrance door-steps.

Send coupon today for complete details and pictures of the "Nation's First Choice" 4-5 passenger cabin plane.



portant advances included. Illustration shows one new feature of maximum power which is not yet available on any other. New engine life cycles make steel fuel tank and stepless leg drive conditions.

ELEVATOR
MARCH, 1939

H



Stinsons for '39!

NOW . . . THE STINSON 105 . . . NEW AND AMAZINGLY LOW IN PRICE!

A brilliant new plane . . . Extraordinarily appointed . . . for a new market . . . A plane all can afford to own . . . thousands can afford to fly! . . . and it's a Stinson!

Just consider these points: speedy enough for trans continental flights but delivering 25 minutes to-the-gallons intercity economy.

A spacious pressurized cabin. Exceptionally roomy, equipped with seats, bags, hydraulic brakes and other features otherwise heretofore only in planes costing thousands of dollars more.

Much, much more—use of space for three people and baggage! Provision for radio and blind flying equipment. Stinson "Speedster" instrument panel in standard model and five special finishes. Large windows give great visibility—low and high.



ACT TODAY!

Mail this Coupon

STINSON AIRCRAFT DIVISION

1000 WOODWARD AVENUE, DETROIT 6, MICHIGAN

Without obligation on our part, please send a free copy of Stinson Plane News—cluding complete details on the new 1939 Stinson "Reliant" and the new Stinson 105. We are particularly interested in those check-

Reliant Stinson 105

Name _____

Address _____

City _____ State _____ Zip _____



ELEVATOR
MARCH, 1939

15

 REMOVABLE, REPLACEABLE
FELT SEALS
as Pioneered by NORMA NOTTMANN for Aircraft Controls
ARE ECONOMICAL AND EASY TO INSPECT AND REGREASE



While these seals are **TIED** against axiomatic displacement, they are **REMOVABLE** and **REPLACABLE** at will, easily and quickly. They facilitate regrinding and inspection. No snap rings are used. The seal, together with continuous plating of exposed surfaces, gives **IMPERMEABLE**, **ANTI-CORROSION**, **SHOCK-ABSORBING** complete protection against the elements and **biological** matter ***. They are available as a number of sizes, both single and double row types - all containing extensive extrusions with smooth ridges, and eliminating frictional resistances, "pancasing", and wear.

Like many other fundamental aircraft types, these Removable Felt Seal Control Bearings were originated by HORNIG-KÖTHMANN, and are extensively used in U.S. Navy and commercial aircraft.

Work for the College. Let me know how we can work with you.

NORMA-HOFFMANN
STEEL BEARINGS
BALL BEARINGS
THREE-ROW

NORMA-HOFFMANN BEARINGS CORP., STAMFORD, CONN., U.S.A.

卷之三

Tell-Tale

conditions. The first part will be referred to as the "engine panel," having three subdivisions, each serving one engine and its immediate accessories. The second part is the "control panel" dealing with control surfaces.

Each elevation of the "engine mount" consists of a plate with transparent markings and with a clip at each end which holds whatever the particular elevation is below the lower limit or above the upper limit of desired operation.

When the aircraft is in level flight, the "low" position and the green sub-section governing that engine will not be illuminated with lights to indicate that certain instruments are below their operating limits. As the engine is rotated clockwise and counter-clockwise, the lights will illuminate within this prescribed range. Once the panel indications are sufficiently dark the engine and accessories are ready for flight and the pilot need consider that they are not functioning properly so long as the 100% red-indication remains unilluminated.

In order to release the parking brakes, the pilot must depress the "parking brake" switch which will immediately light the altitude signs which state "parking brake off". In order to deactivate these signs, it will be necessary to depress the "parking brake" switch again which will immediately show by the illumination of illuminated signs whether or not the tail wheel is retracted; whether the landing signal has been deactivated; passengers and other items are not present; the fuel selector is in the center position; the landing gear is not extended; and whether cockpit lights have been turned off. Whether the control surfaces are properly set, whether the control surfaces are properly set, whether the propeller is in low pitch, and whether the aircraft is at a standstill.

At the moment when the aircraft becomes in the vicinity of the ground, the

The "control panel," consisting of various plates with transparent linear marks, with dots at each end, will indicate whether the control signals "left," or "top," "bottom," "right," or "down," as the case may be. The function of these panels is controlled by a selector switch of an interlocking logic type. As shown in the photograph, buttons are labeled "left," "top," "take-off," "left-down," "right-down," "cross," "land," and "stop." Each push button corresponds to an output which relates to the desired operation. In addition, a "test" button is used to periodically brighten up all lights to check the system.

Typical operation of the "Tel-Tale" system is as follows: When starting a region, the "start" button on the control panel will be pressed in, this will immediately turn the point of interest as open which might be located by the teleoperator, or indicated by the location of a selected leading marker; at appropriate intervals, and at numerous other times, both might be rechecked. After

parts are properly set so that all weights on the panel have progressively less weight, the pilot is ready to start the engine. Throwing on the ignition switch of an engine will cause the "engine pass" sub-dimension involved to be eliminated and at the

Buyer's Log Book

**ardialet Engine
ount Bolts**

*which Application Found in the
above of Many Diseases.*

advantages for Dardel self-locking bolts are found in present engine designs. They not only engage more securely, but are particularly noteworthy in that the threaded nuts grip so tightly and lock positively without the use of washers, pins, or set-screws. Additional strength of the bolt is due to the sheared diameter through the shear-shear action as compared with American National Thread form. The advantage claimed for Dardel is 75 per cent higher impact or 8.3 value. This is credited to the design which avoids the notch effect of 90 degree angle of the American National form and provides a broad base for the nut which causes greater distribution of stress throughout the length of bolt and the thread engaging

Landmann

Black and Decker applies high-

Since all aircraft, regardless of type or size, must be weighed at least once in order to meet ATC requirements, the problem of suitably weighing aircraft has been rather general throughout the aviation industry also, and has proved valuable to en-

Select frequent meetings of most important places in connection with annual inspection, and stressing or emphasizing. To meet this condition Pe-Block & Decker Mfg. Co., at Towson, Maryland, has developed the Load-O-Meter. This scale is a direct reading lever and spring balance of compact size and light weight. Easily portable, the Load-O-Meter is also reasonably accurate, being guaranteed to within 1% and usually working to 1/10th of 1% on heavy loads approaching the 20,000 lb capacity of the scales. Not weight of the Load-O-Meter is 80 lbs. Width is 18 in.

length 19 m and height 174 m. Platform height is only 26 m and platform dimensions, 9 x 174 m. Readings may be taken to within 20 ft and accurate readings may be taken with increasing or decreasing load in increments. The machine is ruggedly constructed—Vestavolt, March 1937.



5-1. BENDIX FLIGHTLAB of Bendix Aircraft, The Great Plains Route from the Great Lakes to the Gulf Headquarters, Oklahoma City, Oklahoma



ROBERT J. SMITH, VICE-PRESIDENT Translit America,
in charge of operations, New Orleans, Louisiana.



CHAMBER & BEARS, INC.-PRESIDENT: Russell Armstrong,
in charge of rustic lodges, Oklahoma City.



Transit Shuttles are available with The Express Bus-Taxis. Minimum fare will be charged.
-Express Taxis (minimum \$10 plus \$0.75 per mile) Saturday-T 08:00 AM - 09:00 PM, SUNDAY 11:00 AM - 08:00 PM.

BRANIFF...

CROSSROADS OF THE TRANSCONTINENTALS

FLYING NORTH AND SOUTH between Chicago and Brownsville, Texas, Braniff connects with the trans-continental airlines, in this way providing a greatly augmented service to the Country.

The men and management of this vital link are alert, eager, keeping Brassfield Service at the highest possible level at all times, under all conditions.

Among the "morts" on Beauvill's calendar is New Texaco Airplane Oil, in use by Beauvill for the past five years.

Texaco aviation engineers will help you select Texaco Aviation Products, available through 2229 Texaco warehouses.

The Team Company, Airlines Division, 125 East
42nd Street, New York City



MANHATTAN OVERMAIL (top), Dallas - S. Rosell Douglas using "the needles"



STANLEY AIRWAYS DIVISION OF STANLEY CORP.

NEW TEXACO Airplane Oil PERFECTED LUBRICATION
FOR AVIATION ENGINES

九月三十日

10

高分子材料

What the Pilots say about the new BENDIX-STROMBERG INJECTION CARBURETOR

"Acceleration terrific; in fact, will the engine take it?"
 "More than enough fuel to return to Cleveland and still have a safe margin."
 "Smoothest engine I ever flew!"
 "Mixture ratio always correct so we can use any power without hurting engine."
 "Mixture always constant for all cruising powers."
 "Cruising mixture in the red zone."
 "Smooth deceleration -- no taildriving."
 "So flexible, the carburetor seemed geared to the throttle lever."
 "Gave it every maneuver in the book; engine had normal power at all plane positions and throttle positions."
 "Increased power under icing conditions as no heat is required -- she just won't stop."

BENDIX PRODUCTS DIVISION
OF BENDIX AVIATION CORPORATION
2000 North Paulina Street, Chicago, Illinois

AVIATION
March 1939

10

Howard

THE AIRPLANE FOR MANY USES

IN between the 2-3 place Private airplanes with small engines, principally for Student training and pleasure flying, and the giant Airliners, comes a category of airplanes which serve a wide variety of uses. In this Personal Transport class is the 4-5 place Howard for 1939.

BECAUSE of its super-performance and load carrying ability, this Howard for 1939 is destined to fill flying needs in every country of the world. With speeds up to 200 M. P. H. and useful capacity up to 1750 pounds, it easily outflies and outcarries any plane of its type in its price-power class.

CREATED by engineers whose practical knowledge comes from the Airlines and Raceways, and built by Personnel whose creations have led the world in this field, Howard is forging ahead because it is now strengthening its finances and acquiring the facilities and organization to assure itself of leadership.

ASK about the Howard for 1939.

AIRCRAFT CORPORATION
5000 WEST 65TH STREET, CHICAGO, ILL., U.S.A.

AVIATION
March 1939
21



On journeys far afield or play



Aerial Photography



Flight for the North Country



Air Mail, Express and Cargo



Personal Transport Business or Recreation



Commuter Operations

Stratosphere



This was the stratosphere round for birds. High in the sun, then sun — the earth soonder below — goes on the undulating waves of the stratosphere — small's propeller-pumped fast clouds high above them. Up, up the stratosphere flies — up where even the strongest gorse could not find strength to flop his wings — up or to supply his overworned lungs. For even gorse's flies have their limits.

But what is man's limit? There it is now — and few if any possible to believe a limit can be reached in the progression of faith and engines. And that you will never alone. Advances in aviation will continue to make from the world's propellers constant leaps and gigantic strides. It will then be much but fully long awaiting daily sailing in research so that aviation will always have available tools that promote further progress.



ETHYL GASOLINE CORPORATION, manufacturer of anti-knock fuels containing methyl ethyl

The U. S. Army Air Corps has ordered 719 Hamilton Standard Hydromatic quick-reversing propellers for installation on the new Douglas and Boeing bombardment aircraft now being delivered. This is the largest order for metal propellers in Air Corps history.

Hydromatic Propellers for the New Army Bombers



HAMILTON STANDARD PROPELLERS

one of the four divisions of **UNITED AIRCRAFT CORPORATION**
EAST HARTFORD, CONNECTICUT

Bound for the CARIBBEAN


On her way to the Navy's Caribbean rendezvous, the United States Aircraft Carrier Ranger makes a most impressive picture as she passes through the Panama Canal. Impressive, too, is the fleet of eight Vought scout-bombers perched on the Ranger's deck, ready, as always, to play their part in important Navy operations.



CHANCE-VOUGHT-AIRCRAFT

*One of the four divisions of United Aircraft Corporation
EAST HANFORD, CONNECTICUT*

DEPEND ON IT FOR ENDURANCE



BUILT BY UNITED STATES
AIRCRAFT, INC.

It has a full diameter bearing condition

Bearings did not dare to bid on the memorable non-stop flight—Newark to Miami and return—a few months ago. There was too much at stake—a new distance and time record for light engines. That this Lenape engine drove a Cub-Flivver plane to a new record of 63 hours, 54 minutes, spoke well for the performance of SKF Bearings on its crankshaft and nuclear arm. It speaks in terms of reliability, endurance, accuracy, and many other SKF advantages that often win new laurels for engines of which SKF Bearings are a part. In the air—as on land and sea—SKF puts the right bearing in the right place. . . . ALWAYS

SKF INDUSTRIES, INC., PHILADELPHIA, PA.
400

THE BEARINGS ARE **SKF**

BALL & ROLLER
BEARINGS



ATTENTION PILOTS

GET YOUR OWN WEATHER REPORTS - GET THEM DIRECT!

JUST WHAT YOU'VE BEEN LOOKING FOR:

USE THE NEW PORTABLE CERAMIC AM/FM RECEIVER IN YOUR HOME, OFFICE, HOTEL, BOAT, AIRPLANE COCKPIT, OR ON THE ROAD OR WHEREVER YOU HAPPEN TO BE.

The portable receiver, with advanced power supply, yet only weighs 16 pounds (34kg-400g) and fits the instrument panel board from 600 1/2" to 800 1/2". Reliable reception is given under all conditions over a range of 10,000 miles. The interesting economy is electrical rather than mechanical.

You may now offer passengers or passengers, or you, radio both as incorporated in this light weight unit which is physical dimension greatly consider the size of a briefcase. It can be used in the aircraft, airplane luggage type case or a dinner case for your convenience. A special connection is provided in the event one desire to use the AM/FM with the unit as your home receiving set or with your aircraft receiver. Can be used in your aircraft as an auxiliary receiver for radio range stations.

THE PILOTS' PREFERENCE

LEAR
DEVELOPMENTS INC.



ROOSEVELT FIELD, MINEOLA
LONG ISLAND, N.Y.
Export Department: 17 State Street, New York
Globe Address: LEARY-0208



IRVIN AIR CHUTES

STANDARD type equipment for the Air Forces of over 45 Governments, including those of the United States and Great Britain.

IRVIN CHAIR CHUTES
for cabin planes.

IRVING AIR CHUTE CO., INC.

1620 Jefferson Ave., Buffalo, N.Y.
Postoffice of: Buffalo, N.Y.; Glendale, Calif.; Fort Dix, Canada; Lutonworth, Merth, England.

**MCGRAW-HILL
DIRECT MAIL LIST**

An accurate paper publication for direct mail purposes, the list is composed of names and addresses of individuals who have indicated their interest in receiving direct mail correspondence. It is maintained by McGraw-Hill and several thousand companies and organizations throughout the United States and Canada. The latest information on the organization of business and industry is available in the McGraw-Hill Business Directory.

* What Holds Do You Want to Knock *

- Aviation
- Bus & Truck Industries
- Civil Engineering and Construction
- Chemical
- Commercial
- Electrical
- Farm
- General
- Metal Works
- Petroleum
- Textile
- Transportation
- Household Goods & Merchandise
- Office Services
- Professional Services
- Publishing
- Retail
- Service
- Trade Shows
- Travel
- Utilities
- Wholesale
- Other

For further details, address your local distributor, cataloguer, printer, dealer or advertiser in the *McGraw-Hill Direct Mail List*.

McGRAW-HILL PUBLISHING CO.
1620 W. Alameda Street, Los Angeles, Calif.
New York, N.Y. 10001

...Complete this remarkable industry's major market



The Accepted SELF-LOCKING NUT of the Aircraft Industry

IN 1927...with no thoroughly safe fastening device available...the industry was searching for a dependable load-proof nut that would stay in place when subjected to the vibration and stresses of aircraft service.

Tests of Elastic Stop Nuts in that year showed conclusively that they were the solution to the problem. Since then, their widespread acceptance has revolutionized aircraft fastening practices.

To meet the needs of the industry, special nuts were developed, including aero, gang, channel, clinch and other types. All standard thread series, and a choice of materials and finishes, were made available.

Today, after twelve years of successful performance by millions of Elastic Stop Nuts, they are used on virtually every current model American airplane...and on a high percentage of foreign craft. Universally approved, they are the standard fastening device of aviation.

The Elastic Stop self-locking device is composed of a semi-metallic coating on both sides of the bolt or screw threads, and an ordinary bolt threads, and is not affected by extremes in winter, cold, or other factors.

The Elastic Stop principle is clearly explained in an extremely illustrated catalog. Write for a copy.

ELASTIC STOP NUT CORPORATION
1606 NEWARK AVENUE - ELMWOOD, NEW JERSEY

Elastic Stop SELF-LOCKING NUTS

**THERE IS NO
SUBSTITUTE
for
Experience**



Lifeguards monitor weather
at the airport's steering
head "off shore" to take a
good position.

There's a lot more to successful weather forecasting than mere reading of charts and skidding data. Experience is the key factor for which there is no substitute in making sound decisions.

It's that way in making successful aircraft materials too. Solar pressure is experience factor because Solar was first in the field of stainless steel manifold engineering and production for high-pressure jet engines.

Your order, placed with Solar, is in the hands of men experienced in measuring and testing the intricate problems of aeronautical manifold performance...men who, from the beginning, have been leaders in their particular field.



SOLAR Aircraft Co.
LINDBERGH FIELD - SAN DIEGO
66 EAST 42 ST. - NEW YORK

AVIATION SCHOOLS

AT SPARTAN EVERYTHING IS IN your favor FOR A SUCCESSFUL CAREER IN AVIATION

With the finest flying equipment obtainable modern machine shop, classroom and dormitories—SPARTAN is located in the center of that section of the Southwest surrounded by hundreds of miles of flat, ideal flying country. Without the hazards of mountain, ocean fog, and winds and haze, and with an all-pass temperature change—SPARTAN is IN THE CENTER of Nature's Ideal Flying Country! Here, we are flying every day—while other sections of the country are snow bound or flying a minimum because of unfavorable flying conditions. With native enrollment in the DAWN PATROL, the largest in history of the school, SPARTAN Courses have received International Leadership and Worldwide endorsement of SPARTAN Facilities, Equipment, and Personnel!

FLY THE ALL-METAL EXECUTIVE in SPARTAN together with the other aircraft with the "new American Power" given YOU knowledge in the construction of the ALL-METAL Stream Executive, Military T-6 and Bass Model. The facilities of Spartan Approved Repair Station No. 10 further improve your knowledge of ALL types of airplanes, engines and instruments as well as radio, and as well as assistance in the purchase, financing, and maintenance of Spartan Approved Aircraft.

MODERN TRAINING AT LOWEST COST

SPARTAN SCHOOL OF AERONAUTICS

IN THE CENTER of Nature's IDEAL Flying Country

SPARTAN SCHOOL OF AERONAUTICS, P. O. Box 2649, TULSA, OKLAHOMA
TULSA, OKLAHOMA 74101 • 918-661-1111 • 100% Scholarships Available • Tuition Free •
WORLD'S LARGEST AIRPORT • 100% Approved Repair Station • 100% Approved Flight Training Facility

RAINS

ADRESSES

Any Person Flying Aircraft

SPARTAN occupies one of the largest and most modern Airports in the United States, equipped with modern classrooms, fully equipped Machine, Sheet Metal and Welding Shops, Radio and Maintenance Departments.

FLIGHT EQUIPMENT of only latest types employed. The most ideal flying country and pilot rated perfect flying weather. Our own private Flying Field in addition to facilities of the Tulsa Municipal Airport, an A.O.R. airport. Modern classrooms and up-to-date Researches for students' well being.

FACTORY affiliation of Spartan gives YOU leadership in the manufacture of AP-107 & AP-110 Metal Executives, Military T-6's and Bass Model.

SPARTAN Approved Repair Station No. 10 further increases your knowledge of ALL types of surfaces, engines and equipment.

EXPERIENCE in training students who have won recognition for themselves and friends & prominence in the aviation industry.



AVIATION SCHOOLS

COME TO LOS ANGELES
TO LEARN
AND STAY TO EARN



At the center of America's greatest group of new 1951 State-of-the-art planes are experienced, dedicated men.

California Flyers—not just a place to learn, but the starting point of your aviation career!

PICTURE YOURSELF HERE: flying in propeller air in this great state of California. You can learn to fly in the western flight—where 5 transoceanic routes enter the Western Skies—where microbial invasions increase more through rugged seas—extremes of temperature, all young men with dreams, with training—minimum of only a few years ago who came to Los Angeles to dream and sleep in cars. Do you want to be part of this kind of life? Then consider training at only 1/3 Government cost. This school is California Flyers.

How is California Flyers to one of America's largest and most modern flying schools? Located in the San Fernando Valley, where 95% of the nation's planes go through this CAA test.

Here, the mechanized student trainee is taught modern approved engine, shop, landing gear, and navigation methods. The flying student trainee is taught to fly open cockpit aircraft, and the instrument flying student trainee is taught to fly closed cockpit aircraft with scientific flight development. All training is conducted in flying under a large canopy facility of painted aircrafts reflective.

How can you start your career in flight in California Flyers? Information is at hand. If you are seriously interested in flying, contact us all as and mail the coupon. No telephone call will

BARRY W. SMITH, President
NORMAN E. SCHLESINGER, Executive Vice President
LESTER CORCORAN, Director of Training

CALIFORNIA FLYERS, INC.

100% APPROVED
100% FINANCIAL SUPPORT
100% GUARANTEED PAYMENT

SCHOOL OF AVIATION
THE PROFESSIONAL AVIATION SERVICE—LOS ANGELES, CALIFORNIA

**LEARN ABOUT THIS COMPLETE RANGE
OF PRACTICAL CAREER COURSES**

**CALIFORNIA FLYERS INC., School of Aviation, Dept. AP-107
An Aviation-Minded Agency, Interstate, California**

Please send me your catalog and information concerning
the following courses and the financial support available
for each course. I am interested in the courses checked.

Airline Pilots Aeronautical Engineering and the Jet Mechanics Aircraft Flying Aircraft Maintenance Maintenance Flying Dogfights Instrument Instruction

Name _____ Age _____

Address _____

City _____ State _____ Zip _____

THE ONLY FLYING-MECHANICAL SCHOOL IN THE NATION'S AIRCRAFT CAPITAL

Roosevelt Aviation School



Alum, Peoria, Ill., has obtained a franchise

Anglo-Boekaniers geslaag vir eerste raakvlak in Afrika

Accuracy is the highest degree of usefulness in every branch of Rosemont Aviation School training. Students are taught the value of thoroughness in every thing they do. Half-way measures are not tolerated at this school because we know that success is not achieved by half-way methods. Every job in aviation has to be done right. It can't be done right unless it is taught right by us and learned right by you. Take our emphasis of thoroughness and a maximum of individual attention to each student. If you have a desire to set into motion now is the time. Employment

ment opportunities are better than ever before in the history of the industry. Men are being absorbed by the thousands. One company alone took on 600 men in January, bringing their total of new employees up to 1,575 in one year. Figures of this kind prove that aviation offers unlimited opportunities for you. But remember that the more thorough your training, the better your opportunity. All the facts concerning this old and successful institution are yours for the asking. Just write and mail the coupon now.

SUMMER CLASSES START JULY 5, 1939

AVIATION
TRAINING
AT ITS
BEST

ROOSEVELT AVIATION SCHOOL—at Roosevelt Field
Mineola, Long Island, N. Y.

Without obligating me, send details of course checked:

SOLO PILOT **COMMERCIAL PILOT** **UNLIMITED COMMERCIAL PILOT**
 PRIVATE PILOT **CIVIL AIRCRAFT INSTRUMENT PILOT** **AIRLINE TRAINER PILOT**
 MARITIME PILOT **SEARCH & RESCUE PILOT** **MARITIME AIRLINE PILOT**
 CIVIL AIRCRAFT DESIGN & CONSTRUCTION **CONSTRUCTION PILOT SPECIALIST**

SIGN
AND MAIL
COUPON
TODAY

Page 57

Time **Date**

AVIATION
Review

The only
certificated school in
America standardizing

MILITARY TYPE TRAINING PLANES



Above is an overall photo of Bryn students in formation flight practice in modern metal Ryan S-2 military-type trainers. The Bryn School maintains Lawrence's honest training fleet and is the only school offering up-to-the-minute military-type equipment to every flight student, regardless of his course. Most courses by arrangement.

RYAN SCHOOL OF AERONAUTICS
FLYING • MECHANICS • ENGINEERING



For more information about the study, please contact Dr. John D. Cawley at (609) 258-4626 or via email at jdcawley@princeton.edu.

Name _____ N^o _____
Address _____
City and State _____ N^o _____

Page 104 of 104



FLYERS: On private planes, as on multi-motor transports, the standard for communication on the airways is Western Electric Radio. For private flyers, the ideal equipment is the Western Electric 25A Receiver and 25A Transmitter—especially designed and poised to meet your needs!

The Receiver covers beacon and weather bands, International Business frequency, most of the broadcast band, and the air transport communication band. The Transmitter operates on any desired private fly-

er's or airline frequencies between 2600 and 6500 KC.

Both are light, compact, designed for instrument panel mounting. Both are as high in quality and as thoroughly dependable as the larger Western Electric units that have been standard equipment for years on leading airlines.

For full details, Western Electric Co., Dept. 335
4, 195 Broadway, New York.

The Western Electric 25A is the aviation definition of very modern Pioneer Radio equipment.

Western Electric
Northern Electric in Canada
AVIATION RADIO TELEPHONE

AVIATION
Model 1950
115



HOW DO YOU WORK A METALLURGIST?

The headline states a very real and potential problem. You can gauge its importance putting this paper to yourself if you were making alloys of aluminum for aircraft purposes, what use would you make of metallurgist talents?

One way might be, "Keep the metallurgist as a worldshaker, let him smelt things out when the product is not up to the aircraft manufacturing requirements."

Or, you might go a step further, saying to your metallurgist, "It's your job to advise on problems, to keep all our standard alloys up to specification."

But taking the broader view, you might ask your metallurgist not only to control quality, but also to make every possible contribution to the science of the metal with which they work. With that, you would be deploiting the policy followed in making alloys of Alcoa Aluminum.

It's an expensive policy. It means keeping expensive technical men in the plants, and also expending styling and maintaining a large

laboratory for fundamental research. But it pays, in dollars and cents, to the users of Alcoa Aluminum. There has been steady improvement in the strength-weight ratio of aluminum alloys during the past few years metallurgists accomplished that. You have yourself seen other more recent developments, such as Alcoa sheet, anodizes for the fabrication of heat-treated materials and soon. If you are familiar with aircraft production you know that the uses of Alcoa Aluminum Alloys also receive reliable technical information concerning the metal, which saves the cost of reading-in fabricators, and of risky experiments in the chosen materials.

The success of this policy is evident. Applied widely in America, it has made American materials for aircraft construction equal or superior to materials produced anywhere else. And as applied to the alloys of Alcoa Aluminum, it has generally resulted both more and cheaper of the metal. ALCOA COMPANY OF AMERICA, 2802 Gulf Building, Pittsburgh, Pennsylvania.

ALCOA ALUMINUM

AVIATION
Model 1950



"On Schedule" Performance Starts with Starting!

"Away to a good start" might as well be expressed, "away to an Eclipse start." For Eclipse Starters have proved and re-proved their reliability for a score of years in every type of service—military, transport, commercial and private flying.

This rich background of experience is reinforced by continuous development, by unsurpassed manufacturing facilities and by a never-ending search for better men, better materials, better methods—resulting in a better product.

In addition to the representative types of starters illustrated, Eclipse offers many other accessories for the specific requirements of varied installation, operating and service conditions.

ECLIPSE AVIATION
DIVISION OF BENDIX AVIATION CORPORATION
BENDIX, NEW JERSEY

Series 12 Combination Hand and Electric Inertia Starter with Solenoid Starting Relay—approximate maximum engine capacity 800 H. P.



Type E-160 Direct Cranking Electric Starter—approximate maximum engine capacity 800 H. P.



Type E-80 Direct Cranking Electric Starter—approximate maximum engine capacity 250 H. P.



Type M-3262 Cartridge Starter for use on engines up to approximately 1,000 H. P.



Type Y-160 Direct Cranking Electric Starter—approximate maximum engine capacity 145 H. P.

